


Melissa
LIGHTING®



V



Made in the USA

JA Series



shown in: Old Iron

JA0015

Ht. 8¾"
Wid. 11¼"
Extends: 14"
Top to Outlet: 2½"
Backplate: 5"

JA0018

Ht. 10"
Wid. 14"
Extends: 15½"
Top to Outlet: 2½"
Backplate: 5"

Specifications:

Panels:

Standard : N/A

Socket Options:

Medium

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6-12 watt

Large

Standard: 1 Lite Edison (75 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant:

U30 / U50 Series



Made in the USA

U30 / U50 Series

U54

Ht. 25"
Wid. 8"
Extends: 11½"
Top to Outlet: 4"
Backplate: 7" x 10½"



shown in: Old Iron

Specifications:

Panels:

Standard : Clear Acrylic

Socket Options:

Medium

Standard: 1 Lite Edison (75 Watt Max)

Options: LED 6-12 watt

Large

Standard: 3 Lite Cluster (3-60watt)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

U30

Ht. 19"
Wid. 7"

ONLY USE T-10 BULB



U50

Ht. 25½"
Wid. 8"

SHOWN

U34

Ht. 17"
Wid. 7"
Extends: 9½"
Top to Outlet: 4½"
Backplate: 5¼" x 7¾"

ONLY USE T-10 BULB



U31

Ht. 17½"
Wid. 7"
Overall: 30"

ONLY USE T-10 BULB



U51

Ht. 24"
Wid. 8"
Overall: 48"

SHOWN

U1210 / U1220 Series



Made in the USA

U1210 / U1220 Series



shown in: Old Iron

U1210
Ht. 19¾"
Wid. 8" x 6¼"

U1211
Ht. 19"
Wid. 8" x 6¼"
Overall: 43"

U1221
Ht. 22"
Wid. 10" x 8½"
Overall: 46"



Specifications:

Panels:

Standard: Clear Acrylic

Socket Options:

Medium

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6-12 watt

Large

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

U1214
Ht. 16"
Wid. 8" x 6¼"
Extends: 9½"
Top to Outlet: 8"
Backplate: 6" x 6"

U1224
Ht. 20"
Wid. 10" x 8½"
Extends: 11½"
Top to Outlet: 10"
Backplate: 6" x 6"



U4300 Series



Made in the USA

U4300 Series



shown in: Black

Specifications:

Panels:

Standard: Clear Acrylic

Options: Seedy, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (60 Watt Max), LED 6 watt

Medium:

Standard: 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (75 Watt Max), LED 6 -12 watt

Large

Standard: 4 Lite Cluster (4-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6 -12 -18 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

U4330

Ht. 17½"

Wid. 9¾"

U4350

Ht. 19½"

Wid. 11"

U4370

Ht. 24"

Wid. 13¼"



U4331

Ht. 15"

Wid. 9¼"

Overall 27"

U4351

Ht. 17"

Wid. 11"

Overall 29"

U4371

Ht. 24"

Wid. 13¼"

Overall 36"



U4336

Ht. 17"

Wid. 9¾"

Extends: 10"

Top to Outlet: 13½"

Backplate: 5" x 7¾"

U4356

Ht. 20½"

Wid. 11"

Extends: 12¼"

Top to Outlet: 17½"

Backplate: 4½" x 11"

U4376

Ht. 25"

Wid. 13¼"

Extends: 16"

Top to Outlet: 20½"

Backplate: 4½" x 11"



U6100 Series



Made in the USA

U6100 Series



shown in: Black

Specifications:

Panels:

Standard : Seedy Glass

Socket Options:

Medium

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

U6150

Ht. 19½"

Wid. 8¾" x 6¾"

U6170

Ht. 22"

Wid. 11" x 8½"



U6151

Ht. 16"

Wid. 8¾" x 6¾"

Overall 28"

U6171

Ht. 22"

Wid. 11" x 8½"

Overall 34"



U6156

Ht. 18"

Wid. 8¾" x 6¾"

Extends: 9"

Top to Outlet: 5½"

Backplate: 4½" x 7"

U6176

Ht. 22½"

Wid. 11" x 8½"

Extends: 12"

Top to Outlet: 7½"

Backplate: 5½" x 9"



U9100 Series



Made in the USA

U9100 Series



shown in: Old Iron

Specifications:

Panels:

Standard : Seedy Glass

Socket Options:

Medium

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

U9150

Height: 22"
Width: 8¾" x 6¾"



U9170

Height: 27"
Width: 11" x 8½"

U9151

Height: 20"
Width: 8¾" x 6¾"
Overall: 32"



U9171

Height: 24"
Width: 11" x 8½"
Overall: 36"

U9156

Height: 21¼"
Width: 8¾" x 6¾"
Extend: 9"
Top to Outlet: 5½"
Backplate: 4½" x 7"



U9176

Height: 27¼"
Width: 11" x 8½"
Extend: 12"
Top to Outlet: 7½"
Backplate: 5½" x 9"

JA Series



Made in the USA

JA Series



shown in: Aged Silver

JA007

Height: 8"
Width: 7½"
Extends: 10½"
Top to Outlet: 2½"
Backplate: 4½"



JA008

Height: 9"
Width: 11"
Extends: 14½"
Top to Outlet: 2½"
Backplate: 4½"



JA0014

Height: 10¾"
Width: 14"
Extends: 16½"
Top to Outlet: 2½"
Backplate: 4½"

Specifications:

Panels:

Standard : N/A

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (75 Watt Max)

Options: LED 6-12 watt

Large

Standard: 1 Lite Edison (75 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: JA008, JA0014

JA0081

Height: 9½"
Width: 11"
Overall: 21½"

JA00141

Height: 12¼"
Width: 14"
Overall: 36"



U810 Series



Made in the USA

U810 Series



shown in: Old Iron

Specifications:

Panels:

Standard Seedy Acrylic

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Medium

Standard: 1 Lite Edison (100 Watt Max)

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

U810

Height: 16½"

Width: 6½" x 8½"

ONLY USE T-10 BULB



U910

Height: 19¼"

Width: 8¼" x 10½"

ONLY USE T-10 BULB

U811

Height: 14½"

Width: 6½" x 8½"

Extend: 10¼"

Overall: 26½"

U911

Height: 18"

Width: 8¼" x 10½"

Extend: 10¼"

Overall: 30"



U812

Height: 14"

Width: 6½" x 8½"

Extend: 9¼"

Top to Outlet: 5"

Backplate: 5¼" x 8"

U912

Height: 17½"

Width: 8¼" x 10½"

Extend: 10¼"

Top to Outlet: 5"

Backplate: 5¼" x 8"



K2800 Series



Made in the USA

K2800 Series



shown in: Umber

Specifications:

Panels:

Standard: Seedy Glass

Options: N/A

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (70 Watt Max),

Options: LED 6-12 watt

Large

Standard: 1 Lite Edison (100 Watt Max),

Options: LED 6-12-18 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

K2830
Ht. 13"
Wid. 7"



K2850
Ht. 16"
Wid. 9"

K2870
Ht. 21"
Wid. 11"

K2831
Ht. 12"
Wid. 7"
Overall: 24"

K2851
Ht. 15"
Wid. 9"
Overall: 27"

K2871
Ht. 17¼"
Wid. 11"
Overall: 41¼"



K2833
Ht. 13½"
Wid. 7"
Extends: 8"
Top to Outlet: 8½"
Backplate: 7" x 4½"

K2853
Ht. 17"
Wid. 9"
Extends: 10"
Top to Outlet: 12½"
Backplate: 7" x 4½"

K2873
Ht. 19¾"
Wid. 11"
Extends: 12"
Top to Outlet: 14½"
Backplate: 7" x 4½"



K2836
Ht. 13½"
Wid. 7"
Extends: 8"
Top to Outlet: 4¼"
Backplate: 7" x 4½"

K2856
Ht. 17"
Wid. 9"
Extends: 10"
Top to Outlet: 5"
Backplate: 7" x 4½"

K2876
Ht. 19¾"
Wid. 11"
Extends: 12"
Top to Outlet: 7"
Backplate: 7" x 4½"



U8100 Series



Made in the USA

U8100 Series



shown in: Old Iron

Specifications:

Panels:

Standard : Seedy Glass

Socket Options:

Medium

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

U8150

Height: 20"
Width: 8"



U8170

Height: 23"
Width: 8"



U8151

Height: 17"
Width: 8"
Overall: 29"



U8171

Height: 20"
Width: 8"
Overall: 32"



U8156

Height: 19½"
Width: 8"
Extend: 12"
Top to Outlet: 7½"
Backplate: 5¼" x 9"



U8176

Height: 23"
Width: 8"
Extend: 12"
Top to Outlet: 7½"
Backplate: 5¼" x 9"



GL Series

Medium



GL570
Ht: 20"
Wid: 9"

GL5716
Ht: 19½"
Wid: 7½"
Extends: 11"
Backplate: 8" x 5"



GL29080
Ht: 27"
Wid: 12"

GL29086
Ht: 28"
Wid: 12"
Extends: 15"
Backplate: 11½" x 5"



Large

Panels:

Standard Panels: Seedy Glass

Options: Clear Acrylic

Dark Sky Compliant: Contact Factory

Socket Options:

Medium *Standard:* 1 Lite Edison (60 Watt Max)

Options: LED 6, 12 watt

Large *Standard:* 3 Lite Cluster (3-60 Watt Max)

Options: LED 6, 12, 18 watt



Made in the USA

K100 Series



K100 Series

K17516

Ht: 32"
Wid: 13"
Extends 11"
Top to outlet 15½"
Backplate: 19¼" x 4½"

K17916

Ht: 36"
Wid: 15"
Extends 15"
Top to outlet 18½"
Backplate: 24" x 4½"



shown in: Old Iron

K130

Ht: 18"
Wid: 7½"

K150

Ht: 26"
Wid: 13"

K190

Ht: 30"
Wid: 15"



K131

Ht: 16"
Wid: 7½"
Overall: 28"

K151

Ht: 24"
Wid: 13"
Overall: 36"

K191

Ht: 28"
Wid: 15"
Overall: 52"



Specifications:

Panels:

Standard Panel: Seedy Acrylic

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (75 Watt Max), LED 6-12-18 watt

Large

Standard: 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12-18 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

K17316

Ht: 22"
Wid: 7½"
Extends 10"
Top to outlet 8½"
Backplate: 4¼" x 6¾"



K200 Series



K200 Series



shown in: Old Copper

Specifications:

Panels:

Standard Panel: Seedy Glass

Options: N/A

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (75 Watt Max),

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

K230

Ht. 15"

Wid. 7"

K250

Ht. 17½"

Wid. 9"



K231

Ht. 12"

Wid. 7"

Overall: 24"

K251

Ht. 14¼"

Wid. 9"

Overall: 26¼"



K233

Ht. 14"

Wid. 7"

Extends: 9½"

Top to Outlet: 8½"

Backplate: 8" x 4½"

K253

Ht. 16½"

Wid. 9"

Extends: 11¼"

Top to Outlet: 10½"

Backplate: 8" x 4½"



K236

Ht. 12"

Wid. 7"

Extends: 9½"

Top to Outlet: 5½"

Backplate: 8" x 4½"

K256

Ht. 14½"

Wid. 9"

Extends: 11¼"

Top to Outlet: 6½"

Backplate: 8" x 4½"



Made in the USA



K300 Series



shown in: Old Iron

Specifications:

Panels:

Standard Globe: Seedy Glass

Options: N/A

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (75 Watt Max),

Options: LED 6-12 watt

Large

Standard: 1 Lite Edison (100 Watt Max),

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

K330
Ht. 13½"
Wid. 7"



K350
Ht. 17"
Wid. 9"

K370
Ht. 20"
Wid. 11"

K331
Ht. 12"
Wid. 7"
Overall: 24"

K351
Ht. 16"
Wid. 9"
Overall: 28"

K371
Ht. 19"
Wid. 11"
Overall: 43"



K333
Ht. 14½"
Wid. 7"
Extends: 8½"
Top to Outlet: 7"
Backplate: 7" x 4½"

K353
Ht. 19"
Wid. 9"
Extends: 11"
Top to Outlet: 10"
Backplate: 7" x 4½"

K373
Ht. 21"
Wid. 11"
Extends: 11½"
Top to Outlet: 13½"
Backplate: 7" x 4½"



K336
Ht. 14½"
Wid. 7"
Extends: 8½"
Top to Outlet: 7"
Backplate: 7" x 4½"

K356
Ht. 18"
Wid. 9"
Extends: 11"
Top to Outlet: 8½"
Backplate: 7" x 4½"

K376
Ht. 21"
Wid. 11"
Extends: 13½"
Top to Outlet: 10"
Backplate: 7" x 4½"





K400 Series



shown in: Aged Silver

Specifications:

Panels:

Standard Globe: Clear Acrylic

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

K400

Ht. 17"

Wid. 9½"



K401

Ht. 16½"

Wid. 9½"

Overall: 28½"



K403

Ht. 17"

Wid. 9½"

Extends: 11½"

Top to Outlet: 12½"

Backplate: 7" x 4½"



K404

Ht. 17"

Wid. 9½"

Extends: 11½"

Top to Outlet: 4"

Backplate: 7" x 4½"





K500 Series



shown in: Old Iron

K530
Ht. 16½"
Wid. 6¾"



K570
Ht. 21"
Wid. 9"

K531
Ht. 11½"
Wid. 6¾"
Overall: 23½"



K571
Ht. 14½"
Wid. 9"
Overall: 26½"

K53006
Ht. 13¼"
Wid. 6¾"
Extends: 8"
Top to Outlet: 3"
Backplate: 6½" x 4½"



K53009
Ht. 17"
Wid. 6¾"
Extends: 8"
Top to Outlet: 13½"
Backplate: 6½" x 4½"



Specifications:

Panels:

Standard Panel: Seedy Acrylic

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: 3 Lite Cluster (3-40watt), LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max)

Options: 3 Lite Cluster (3-40watt), LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

K5716
Ht. 19¼"
Wid. 9"
Extends: 11"
Top to Outlet: 9"
Backplate: 7" x 4½"




K5719
Ht. 25"
Wid. 9"
Extends: 11"
Top to Outlet: 15"
Backplate: 7" x 4½"



Made in the USA

K700 Series



K700 Series



shown in: Old Iron

Specifications:

Panels:

Standard Globe: Optic Glass Globe

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

K730

Ht. 16"

Wid. 8"



K750

Ht. 18"

Wid. 10"

K731

Ht. 14¼"

Wid. 8"

Overall: 26¼"



K751

Ht. 16"

Wid. 10"

Overall: 28"

K733

Ht. 17"

Wid. 8"

Extends: 10"

Top to Outlet: 8"

Backplate: 9½" x 4½"



K753

Ht. 20½"

Wid. 10"

Extends: 13"

Top to Outlet: 7½"

Backplate: 12" x 5½"

K736

Ht. 17"

Wid. 8"

Extends: 10"

Top to Outlet: 5"

Backplate: 9½" x 4½"



K756

Ht. 20½"

Wid. 10"

Extends: 13"

Top to Outlet: 8"

Backplate: 12" x 5½"

K800 Series



K800 Series



shown in: Old Copper

Specifications:

Panels:

Standard Globe: Seedy Glass Globe

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

K830
Ht. 15"
Wid. 7"



K850
Ht. 19"
Wid. 9"

K831
Ht. 13"
Wid. 7"
Overall: 25"



K851
Ht. 17½"
Wid. 9"
Overall: 29½"

K833
Ht. 14"
Wid. 7"
Extends: 10"
Top to Outlet: 10"
Backplate: 8¾" x 4½"



K853
Ht. 18½"
Wid. 9"
Extends: 10½"
Top to Outlet: 14"
Backplate: 8¾" x 4½"

K836
Ht. 14"
Wid. 7"
Extends: 10"
Top to Outlet: 4¼"
Backplate: 8¾" x 4½"



K856
Ht. 19"
Wid. 9"
Extends: 10½"
Top to Outlet: 4½"
Backplate: 8¾" x 4½"



K1100 Series



shown in: Aged Silver

Specifications:

Panels:

Standard Globe: Hammered Glass Globe

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

K1130
Ht. 14"
Wid. 7"



K1150
Ht. 17"
Wid. 9"

K1131
Ht. 12"
Wid. 7"
Overall: 24"



K1151
Ht. 15"
Wid. 9"
Overall: 27"

K1133
Ht. 14"
Wid. 7"
Extends: 10"
Top to Outlet: 7¼"
Backplate: 8½" x 6"



K1153
Ht. 18½"
Wid. 9"
Extends: 12½"
Top to Outlet: 9½"
Backplate: 9½" x 6"

K1136
Ht. 14"
Wid. 7"
Extends: 10"
Top to Outlet: 5"
Backplate: 8½" x 6"



K1156
Ht. 18½"
Wid. 9"
Extends: 12½"
Top to Outlet: 6¼"
Backplate: 9½" x 6"



Made in the USA

K1300 Series



K1300 Series



shown in: Aged Silver

Specifications:

Panels:

Standard Globe: Hammered Glass Globe

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

K1330
Ht. 18"
Wid. 9"



K1350
Ht. 22"
Wid. 11"

K1331
Ht. 17"
Wid. 9"
Overall: 29"



K1351
Ht. 21"
Wid. 11"
Overall: 33"

K1333
Ht. 21"
Wid. 9"
Extends: 10"
Top to Outlet: 12"
Backplate: 13" x 5"



K1353
Ht. 27"
Wid. 11"
Extends: 13½"
Top to Outlet: 17"
Backplate: 17" x 7"


K1336
Ht. 21½"
Wid. 9"
Extends: 10"
Top to Outlet: 5"
Backplate: 13" x 15"

K1356
Ht. 27"
Wid. 11"
Extends: 13½"
Top to Outlet: 7"
Backplate: 17" x 7"



Made in the USA

K2200 Series



K2200 Series



shown in: Old Iron

Specifications:

Panels:

Standard Cylinder: Clear Acrylic

Options: N/A

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max),

Options: LED 6-12-18 watt

Large

Standard: 1 Lite Edison (150 Watt Max),

Options: LED 6-12-18 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

K2230

Ht. 16"

Wid. 7"

K2250

Ht. 23"

Wid. 11½"

K2270

Ht. 26½"

Wid. 16"



K2231

Ht. 12"

Wid. 8"

Overall: 24"

K2251

Ht. 19"

Wid. 11½"

Overall: 29"

K2271

Ht. 21"

Wid. 16"

Overall: 45"



K2233

Ht. 16"

Wid. 8"

Extends: 11"

Top to Outlet: 11½"

Backplate: 8" x 5"

K2253

Ht. 23"

Wid. 11½"

Extends: 13"

Top to Outlet: 12"

Backplate: 11½" x 5"



K2236

Ht. 13½"

Wid. 8"

Extends: 11"

Top to Outlet: 4"

Backplate: 8" x 5"

K2256

Ht. 21"

Wid. 11½"

Extends: 13"

Top to Outlet: 2"

Backplate: 11½" x 5"

K2276

Ht. 22½"

Wid. 16"

Extends: 17"

Top to Outlet: 2"

Backplate: 11½" x 5"



U2900 Series



K2900 Series



shown in: Old Iron

Specifications:

Panels:

Standard: Seedy Cylinder
Options: N/A

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)
Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max),
Options: LED 6-12 watt

Large

Standard: 1 Lite Edison (150 Watt Max),
Options: LED 6-12-18 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

K2930

Height: 15½"
Width: 7½"

K2950

Height: 15"
Width: 9"

K2970

Height: 22½"
Width: 11"



K2931

Height: 12½"
Width: 7½"
Overall: 24½"

K2951

Height: 15"
Width: 9"
Overall: 27"

K2971

Height: 19½"
Width: 11"
Overall: 43"



K2936

Height: 13½"
Width: 7½"
Extends: 9¾"
Top to Outlet: 3½"
Backplate: 4¼" x 6¼"

K2956

Height: 17"
Width: 9"
Extends: 12"
Top to Outlet: 5"
Backplate: 4½" x 10"

K2976

Height: 21½"
Width: 11"
Extends: 14"
Top to Outlet: 6"
Backplate: 4½" x 12"





JA Series



shown in: Black

JA044

Ht. 9½"
Wid. 7"
Extends: 10½"
Top to Outlet: 3"
Backplate: 6" x 6"



JA045

Ht. 10"
Wid. 8¼"
Extends: 11¼"
Top to Outlet: 3"
Backplate: 6" x 6"

Specifications:

Panels:

Standard Globe: Glass Seedy

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

JA0441

Ht. 9"
Wid. 7"
Overall 21"



JA0451

Ht. 10½"
Wid. 8¼"
Overall 22½"



Made in the USA



U005 / U0010 Series



shown in: Old English

Specifications:

Panels:

Standard Globe: Seedy Glass Globe

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

U0050

Height: 17"
Width: 9"

U0110

Height: 21½"
Width: 15"



U0051

Height: 14½"
Width: 9"
Overall: 26½"

U0011

Height: 19"
Width: 15"
Overall: 31"



U005

Height: 17"
Width: 9"
Extends: 11½"
Top to Outlet: 13"
Backplate: 6" x 4½"

U0010

Height: 22"
Width: 15"
Extends: 16"
Top to Outlet: 14½"
Backplate: 8½" x 5¼"



Made in the USA

U008 Series



U008 Series



shown in: Old Iron

Specifications:

Panels:

Standard Hurricane Globe

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max)

Options: LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory



Made in the USA

U0080

Height: 19"
Width: 6"



U0160

Height: 22½"
Width: 8½"

U0081

Height: 14"
Width: 6"
Overall: 26"



U0161

Height: 18½"
Width: 8½"
Overall: 42½"

U008

Height: 15½"
Width: 6"
Extends: 9½"
Top to Outlet: 9½"
Backplate: 4½" x 6"



U0016

Height: 19½"
Width: 8½"
Extends: 12½"
Top to Outlet: 11"
Backplate: 5½" x 8"



U070 / U090 Series



shown in: Old Copper

Specifications:

Panels:

Standard Panel: Clear Acrylic

Options: Seedy, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max) LED 6-12 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

U071

Height: 10"

Width: 7"

Overall: 22"

U091

Height: 14"

Width: 9"

Overall: 26"



U070

Height: 11½"

Width: 7"

Extends: 10½"

Top to Outlet: 3¾"

Backplate: 4½" x 7½"

U090

Height: 15"

Width: 9"

Extends: 11½"

Top to Outlet: 3¾"

Backplate: 4½" x 7½"



Made in the USA

U300 Series



U300 Series



shown in: Black

Specifications:

Panels:

Standard: Clear Acrylic

Options: Seedy, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard: 1 Lite Edison (75 Watt Max)

Options: LED 6 watt

Large

Standard: 1 Lite Edison (100 Watt Max)

Options: LED 6 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

U330

Ht. 15"

Wid. 6½"

Extends: 9"

Top to Outlet: 4"

Backplate: 5" x 7½"

U350

Ht. 19¼"

Wid. 8¼"

Extends: 11"

Top to Outlet: 4"

Backplate: 5" x 7½"

U370

Ht. 24½"

Wid. 10½"

Extends: 12"

Top to Outlet: 4"

Backplate: 7" x 11"



U331

Ht. 16"

Wid. 6½"

Overall 28"

U351

Ht. 20½"

Wid. 8¼"

Overall 32½"

U371

Ht. 24½"

Wid. 10½"

Overall 36½"



Made in the USA

U400 Series



U470
Ht: 20"
Wid: 8½"
Side width: 4½"



U471
Ht: 19"
Wid: 8½"
Side width: 4½"
Overall: 31"



U474
Ht: 16½"
Wid: 8½"
Extends 6¼"
Top to outlet 8"



U480
Ht: 20"
Wid: 8½"
Side width: 4½"



U481
Ht: 19"
Wid: 8½"
Side width: 4½"
Overall: 31"



U484
Ht: 16½"
Wid: 8½"
Extends 6¼"
Top to outlet 8"



U490
Ht: 20"
Wid: 8½"
Side width: 4½"



U491
Ht: 19"
Wid: 8½"
Side width: 4½"
Overall: 31"



U494
Ht: 16½"
Wid: 8½"
Extends 6¼"
Top to outlet 8"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6,12 watt

U7000 Series



Made in the USA

U7000 Series



shown in: Old Iron

Specifications:

Panels:

Standard: Seedy Glass

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large

Standard 3 Lite Cluster (3-60watt)

Options: 1 Lite Edison (100 Watt Max), LED 6-12-18 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

Dark Sky Compliant: Contact Factory

U7339

Height: 11½"

Width: 5½"

Extend: 7¾"

Top to Outlet: 7¾"

Backplate: 4½"



U7331

Height: 11"

Width: 5½"

Overall: 23"



U7700

Height: 22"

Width: 8"



U79080

Height: 28"

Width: 10½"

U7701

Height: 18"

Width: 8"

Overall: 30"



U79081

Height: 22½"

Width: 10½"

Overall: 34½"

U77066

Height: 18"

Width: 8"

Extend: 10¼"

Top to Outlet: 13"

Backplate: 5" x 8"



U79086

Height: 22"

Width: 10½"

Extend: 12"

Top to Outlet: 16"

Backplate: 5" x 11½"

U4004



Specifications:

Panels:

Standard: Seedy Acrylic

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Standard: 2 Lite Edison (60 Watt Max)

Options: LED 6 watt

Material: Cast Aluminum

Finishes: 39 Hand Painted Finishes

U4004

Height: 31"

Width: 8 1/2"

Extend: 6 3/4"

Top to Outlet: 16"

Backplate: 11 1/2" x 4 3/4"

shown in: Black



Made in the USA

K600 Series

Small



K630
Ht: 20"
Wid: 6"



K631
Ht: 12½"
Wid: 6"



K632
Ht: 12"
Wid: 6"
Extends 8"
Top to outlet 6"
Backplate: 4½"



K6303
Ht: 15"
Wid: 6"
Extends 10"
Top to outlet 7"

Medium



K650
Ht: 25"
Wid: 8½"



K651
Ht: 18"
Wid: 8½"
Overall: 30"



K1220
Ht: 9½"
Wid: 5¾"
Depth 7½"
Backplate: 4¼" x 4¼"
1 Lite Edison (60 Watt Max)



K1220L
Ht: 10"
Wid: 5¾"
Depth 7½"
Backplate: 4¼" x 4¼"
1 Lite Edison (60 Watt Max)

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt, 3 Lite Cluster (3-20 Watt Max)

Medium **Standard:** 1 Light Edison (100 Watt Max)

Options: LED 6 -12 watt, 3 Lite Cluster (3-40 Watt Max)

K900 Series

Small



K930
Ht: 17½"
Wid: 6¾"



K931
Ht: 12"
Wid: 6¾"
Overall: 24"



K932
Ht: 10"
Wid: 6¾"
Extends 8"
Top to outlet 4"
Backplate: 4½"



K9303
Ht: 13"
Wid: 6¾"
Extends 11½"
Top to outlet 6½"
Backplate: 5¾"

Medium



K950
Ht: 24"
Wid: 9"



K951
Ht: 15"
Wid: 9"
Overall: 27"

K1700 Series

Small



K1734
Ht: 14½"
Wid: 6"
Extends 6½"
Top to outlet 9"
Backplate: 4½"
1 Lite Edison (60 Watt Max)



K1739
Ht: 9¾"
Wid: 6"
Extends 7"
Top to outlet 6½"
Backplate: 4½"
1 Lite Edison (60 Watt Max)

Accessories

K2N
Ht: 2½"
Wid: 5½"
Fitter 3"



K17306
Ht: 12"
Wid: 6"
Extends 11"
Top to outlet 7"
Backplate: 5¾"
1 Lite Edison (60 Watt Max)

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)
Options: LED 6 watt, 3 Lite Cluster (3-20 Watt Max)

Medium **Standard:** 1 Light Edison (100 Watt Max)
Options: LED 6-12 watt, 3 Lite Cluster (3-40 Watt Max)



Made in the USA

K1000 Series

Small



K1030
Ht: 21"
Wid: 6"



K1031
Ht: 13½"
Wid: 6"
Overall: 26"



K1032
Ht: 13"
Wid: 6"
Extends 8"
Top to outlet 7"
Backplate: 4½"



K10303
Ht: 16"
Wid: 6"
Extends 10"
Top to outlet 8"
Backplate: 5¾"

Medium



K1050
Ht: 26"
Wid: 8½"



K1051
Ht: 19"
Wid: 8½"
Overall: 31"



K10503
Ht: 18½"
Wid: 8½"
Extends 12"
Top to outlet 12"
Backplate: 5¾"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt, 3 Lite Cluster (3-20 Watt Max)

Medium **Standard:** 1 Light Edison (100 Watt Max)

Options: LED 6 -12 watt, 3 Lite Cluster (3-40 Watt Max)

K1600 Series

Small



K1630
Ht: 14½"
Wid: 8"



K1631
Ht: 14"
Wid: 8"
Overall: 26"



K16303
Ht: 15"
Wid: 8"
Extends 12¼"
Top to outlet 8"
Backplate: 5¾"



K16306
Ht: 15"
Wid: 8"
Extends 12¼"
Top to outlet 8"
Backplate: 5¾"

Medium



K1650
Ht: 19"
Wid: 12"



K1651
Ht: 17½"
Wid: 12"
Overall: 30"



K16503
Ht: 18½"
Wid: 12"
Extends 14½"
Top to outlet 7"
Backplate: 5¾"



K16506
Ht: 18½"
Wid: 12"
Extends 14½"
Top to outlet 11"
Backplate: 5¾"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt, 3 Lite Cluster (3-20 Watt Max)

Medium **Standard:** 1 Light Edison (100 Watt Max)

Options: LED 6 -12 watt, 3 Lite Cluster (3-40 Watt Max)



Made in the USA

K1800 Series

Small

K1830
Ht: 15½"
Wid: 6"



K1831
Ht: 13½"
Wid: 6"
Overall: 26"



K183006
Ht: 11"
Wid: 6"
Extends 7½"
Top to outlet 3"
Backplate: 6½" x 4¼"



K183009
Ht: 15½"
Wid: 6"
Extends 7½"
Top to outlet 11"
Backplate: 6½" x 4¼"



K1850
Ht: 22"
Wid: 10"



K1851
Ht: 18½"
Wid: 10"
Overall: 31"



K185019
Ht: 20½"
Wid: 10"
Extends 7½"
Top to outlet 15"
Backplate: 7" x 4½"



K185016
Ht: 20½"
Wid: 10"
Extends 7½"
Top to outlet 8"
Backplate: 7" x 4½"



K185009
Ht: 23"
Wid: 10"
Extends 7½"
Top to outlet 17"
Backplate: 6½" x 4¼"



K185006
Ht: 16½"
Wid: 10"
Extends 7½"
Top to outlet 3"
Backplate: 6½" x 4¼"



Medium

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Light Edison (100 Watt Max)

Options: LED 6 -12 watt, 2 Lite Cluster (2-40 Watt Max)

K2100 Series

Small

K2130
Ht: 13"
Wid: 6"



K2131
Ht: 11"
Wid: 6"
Overall: 23"



K213006
Ht: 11½"
Wid: 6"
Extends 7"
Top to outlet 3"
Backplate: 6½" x 4¼"



K213009
Ht: 13"
Wid: 6"
Extends 7"
Top to outlet 8"
Backplate: 6½" x 4¼"



Medium

K2150
Ht: 17½"
Wid: 8½"



K2151
Ht: 14"
Wid: 8½"
Overall: 26"



K215019
Ht: 18½"
Wid: 8½"
Extends 7½"
Top to outlet 10"
Backplate: 7" x 4½"



K215016
Ht: 16½"
Wid: 8½"
Extends 11"
Top to outlet 8"
Backplate: 7" x 4½"



K215009
Ht: 18"
Wid: 8½"
Extends 7½"
Top to outlet 12"
Backplate: 6½" x 4¼"



K215006
Ht: 14"
Wid: 8½"
Extends 8½"
Top to outlet 3"
Backplate: 6½" x 4¼"



Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Light Edison (100 Watt Max)

Options: LED 6-12 watt, 2 Lite Cluster (2-40 Watt Max)



Made in the USA

K2400 Series

Small

K2430
Ht: 15"
Wid: 7½"



K2431
Ht: 13½"
Wid: 7½"
Overall: 26"



K243006
Ht: 11½"
Wid: 7½"
Extends 7½"
Top to outlet 3"
Backplate: 6½" x 4¼"



K243009
Ht: 15½"
Wid: 7½"
Extends 7½"
Top to outlet 11"
Backplate: 6½" x 4¼"



Medium

K2450
Ht: 21½"
Wid: 10"



K2451
Ht: 20"
Wid: 10"
Overall: 32"



K245019
Ht: 24"
Wid: 10"
Extends 11"
Top to outlet 13"
Backplate: 7" x 4½"



K245016
Ht: 19"
Wid: 10"
Extends 11"
Top to outlet 8"
Backplate: 7" x 4½"



K245009
Ht: 19"
Wid: 10"
Extends 11"
Top to outlet 15"
Backplate: 6½" x 4¼"



K245006
Ht: 16"
Wid: 10"
Extends 11"
Top to outlet 3"
Backplate: 6½" x 4¼"



Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Light Edison (100 Watt Max)

Options: LED 6 -12 watt, 2 Lite Cluster (2-40 Watt Max),

Ceiling Mounts



K33
Ht. 7½"
Wid. 10½"
Standard: 2-40Watt Max
Options: LED 6-12 watt
Standard Panels: Seedy



K213
Ht: 4"
Wid: 8"
Standard: 1-60Watt Max
Options: LED 6 watt
Standard Panels: Seedy
Options: Clear, Ripple, Opal, Pebble, Pearl



K214
Ht: 4"
Wid: 10"
Standard: 2-60Watt Max
Options: LED 6-12 watt
Standard Panels: Seedy
Options: Clear, Ripple, Opal, Pebble, Pearl



Made in the USA

Large Kiss

Large



K217016
Ht. 23½"
Wid. 12½"
Extends: 13½"
Top to Outlet: 10"
Backplate: 7" x 4½"



K187016
Ht. 27¼"
Wid. 13½"
Extends: 13"
Top to Outlet: 8½"
Backplate: 7" x 4½"



K375029
Ht. 24"
Wid. 11½"
Extends: 14"
Top to Outlet: 10"
Backplate: 26" x 5"



K247016
Ht. 25½"
Wid. 12"
Extends: 13½"
Top to Outlet: 9"
Backplate: 7" x 4½"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Dark Sky Compliant: Contact Factory

Socket Options:

Large

Standard: 1 Lite Edison (150 Watt Max)

Options: 3 Lite Cluster (3-60 Watt Max), **LED** 6-12-18 watt, 3 Lite Cluster (3-60 Watt Max)

Large Kiss

Large



K155029
Ht. 22½"
Wid. 10"
Extends: 13"
Top to Outlet: 12½"
Backplate: 12" x 5"



K157016
Ht. 24½"
Wid. 13"
Extends: 13"
Top to Outlet: 8½"
Backplate: 7" x 4½"



K155016
Ht. 20½"
Wid. 10"
Extends: 11½"
Top to Outlet: 9"
Backplate: 7" x 4½"



Made in the USA

LED OUTDOOR



LED Type	Lumens	CRI	Kelvin Temp	Fixture Size	Warranty	Dark Sky	Cree LED's	Replaceable	Incandescent Comparison	Watts Used
6 watt	785	80	3000 K	All	50,000 hrs. LED 5 yr. on Driver	Yes	Yes	Yes	75 w bulb	6
12 watt	1570	80	3000 K	Consult Factory	50,000 hrs. LED 5 yr. on Driver	Yes	Yes	Yes	150 w Bulb	12
18 watt	2200	80	3000 K	Consult Factory	50,000 hrs. LED 5 yr. on Driver	Yes	Yes	Yes	225 w bulb	18



600 Series



630
Ht. 20"
Wid. 6"



631
Ht. 12½"
Wid. 6"
Overall: 25"



632
Ht. 12"
Wid. 6"
Extends: 8"
Top to Outlet: 6"
Backplate: 4½"



Small

634
Ht. 23"
Wid. 6"
Extends: 9½"
Top to Outlet: 6½"
Backplate: 6½" x 4¼"



636
Ht. 15"
Wid. 6"
Extends: 9½"
Top to Outlet: 6½"
Backplate: 6½" x 4¼"



639
Ht. 18"
Wid. 6"
Extends: 9½"
Top to Outlet: 15"
Backplate: 6½" x 4¼"



6303
Ht. 17"
Wid. 6"
Extends: 7"
Top to Outlet: 10"
Backplate: 5¾"



6304
Ht. 18"
Wid. 6"
Extends: 8½"
Top to Outlet: 3¼"
Backplate: 8" x 5"



6305
Ht. 20"
Wid. 6"
Extends: 9½"
Top to Outlet: 12"
Backplate: 11" x 4¾"



6306
Ht. 15"
Wid. 6"
Extends: 10"
Top to Outlet: 7"
Backplate: 5¾"



6307
Ht. 19"
Wid. 6"
Extends: 8½"
Top to Outlet: 15½"
Backplate: 8" x 5"



6308
Ht. 15"
Wid. 6"
Extends: 9½"
Top to Outlet: 9½"
Backplate: 11" x 4¾"



63063
Ht. 20"
Wid. 6"
Extends: 8"
Top to Outlet: 15"
Backplate: 8" x 5"



63066
Ht. 12½"
Wid. 6"
Extends: 11"
Top to Outlet: 4"
Backplate: 8" x 5"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: 3 Lite Cluster (3-20 Watt Max), LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt



Made in the USA

600 Series

Medium



650
Ht. 25"
Wid. 8½"



651
Ht. 16"
Wid. 8½"
Overall: 28"



654
Ht. 31½"
Wid. 8½"
Extends: 12"
Top to Outlet: 16"
Backplate: 6½" x 4 ¼"



656
Ht. 20¼"
Wid. 8½"
Extends: 12"
Top to Outlet: 7½"
Backplate: 6½" x 4¼"



659
Ht. 24¼"
Wid. 8½"
Extends: 12"
Top to Outlet: 16"
Backplate: 6½" x 4¼"



6503
Ht. 24½"
Wid. 8½"
Extends: 12"
Top to Outlet: 21"
Backplate: 5¾"



6504
Ht. 21"
Wid. 8½"
Extends: 11½"
Top to Outlet: 3¼"
Backplate: 8" x 5"



6506
Ht. 17½"
Wid. 8½"
Extends: 12"
Top to Outlet: 11"
Backplate: 5¾"



6507
Ht. 28"
Wid. 8½"
Extends: 11½"
Top to Outlet: 24"
Backplate: 8" x 5"



65063
Ht. 25½"
Wid. 8½"
Extends: 13½"
Top to Outlet: 19"
Backplate: 8" x 5"



65066
Ht. 18½"
Wid. 8½"
Extends: 13½"
Top to Outlet: 8"
Backplate: 8" x 5"

600 Series

Large



690
Ht. 30"
Wid. 11"



691
Ht. 23"
Wid. 11"
Overall: 47"



696
Ht. 30"
Wid. 11"
Extends: 14"
Top to Outlet: 12"
Backplate: 26½" x 6"



699
Ht. 34"
Wid. 11"
Extends: 14"
Top to Outlet: 23"
Backplate: 26½" x 6"



6904
Ht. 31"
Wid. 11"
Extends: 12¼"
Top to Outlet: 3¼"
Backplate: 8" x 5"



6907
Ht. 36½"
Wid. 11"
Extends: 12¼"
Top to Outlet: 28"
Backplate: 8" x 5"



69073
Ht. 32"
Wid. 11"
Extends: 21"
Top to Outlet: 18"
Backplate: 11½" x 5"



69076
Ht. 25"
Wid. 11"
Extends: 21"
Top to Outlet: 5½"
Backplate: 11½" x 5"



Made in the USA

1200 Series

Small



1230
Ht. 17"
Wid. 7½"



1231
Ht. 10½"
Wid. 7"
Overall: 23"



1232
Ht. 16"
Wid. 7"
Extends: 8½"
Top to Outlet: 9½"
Backplate: 4½"



1236
Ht. 14"
Wid. 7"
Extends: 9½"
Top to Outlet: 6"
Backplate: 6½" x 4¼"



1239
Ht. 18"
Wid. 7"
Extends: 9½"
Top to Outlet: 12"
Backplate: 6½" x 4¼"



12303
Ht. 17"
Wid. 7"
Extends: 11½"
Top to Outlet: 11"
Backplate: 5¾"



12304
Ht. 14½"
Wid. 7"
Extends: 10½"
Top to Outlet: 4"
Backplate: 8" x 5"



12306
Ht. 13"
Wid. 7"
Extends: 11½"
Top to Outlet: 7"
Backplate: 5¾"

Medium



1250
Ht. 22"
Wid. 10½"



1251
Ht. 19"
Wid. 10½"
Overall: 31"



1254
Ht. 28"
Wid. 10½"
Extends: 11"
Top to Outlet: 16"
Backplate: 6½" x 4¼"



1256
Ht. 22"
Wid. 10½"
Extends: 11"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



1259
Ht. 22"
Wid. 10½"
Extends: 11"
Top to Outlet: 16"
Backplate: 6½" x 4¼"



12503
Ht. 24"
Wid. 10½"
Extends: 12½"
Top to Outlet: 14"
Backplate: 5¾"



12504
Ht. 21½"
Wid. 10½"
Extends: 12½"
Top to Outlet: 4"
Backplate: 8" x 5"



12505
Ht. 22"
Wid. 10½"
Extends: 12½"
Top to Outlet: 18"
Backplate: 16" x 4½"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (75 Watt Max);

Options: 2 Lite Cluster (2-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt

Extra **Standard:** 3 Lite Cluster (3-60 Watt Max)

Large **Options:** 1 Lite Edison (250 Watt Max), LED 6,12,18 watt

1200 Series

Medium



12506
Ht. 19"
Wid. 10½"
Extends: 12½"
Top to Outlet: 9"
Backplate: 5¾"



12507
Ht. 26"
Wid. 10½"
Extends: 12½"
Top to Outlet: 18"
Backplate: 8" x 5"



12508
Ht. 21½"
Wid. 10½"
Extends: 12½"
Top to Outlet: 9"
Backplate: 17" x 4½"



125063
Ht. 23½"
Wid. 10½"
Extends: 14"
Top to Outlet: 17"
Backplate: 8" x 5"



125066
Ht. 22½"
Wid. 10½"
Extends: 14"
Top to Outlet: 8"
Backplate: 8" x 5"

Large



1270
Ht. 28"
Wid. 12½"



1271
Ht. 24"
Wid. 12½"
Overall: 48"



1274
Ht. 44"
Wid. 12½"
Extends: 15"
Top to Outlet: 18"
Backplate: 6½" x 4 ¼"



1276
Ht. 29"
Wid. 12½"
Extends: 15"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



1279
Ht. 28"
Wid. 12½"
Extends: 15"
Top to Outlet: 18"
Backplate: 6½" x 4¼"



12703
Ht. 28"
Wid. 12½"
Extends: 15"
Top to Outlet: 20"
Backplate: 5¾"



12704
Ht. 24"
Wid. 12½"
Extends: 14½"
Top to Outlet: 4"
Backplate: 8" x 5"



12706
Ht. 24"
Wid. 21½"
Extends: 15"
Top to Outlet: 8½"
Backplate: 5¾"



12707
Ht. 33"
Wid. 12½"
Extends: 14½"
Top to Outlet: 24½"
Backplate: 8" x 5"



12708
Ht. 24"
Wid. 12½"
Extends: 14½"
Top to Outlet: 9"
Backplate: 16" x 4½"



Made in the USA

1200 Series

Extra Large



1290
Ht. 32"
Wid. 14½"



1291
Ht. 25"
Wid. 14½"
Overall: 49"



1294
Ht. 48"
Wid. 14½"
Extends: 19"
Top to Outlet: 28"
Backplate: 26½" x 6"



1296
Ht. 27"
Wid. 14½"
Extends: 19"
Top to Outlet: 8"
Backplate: 26½" x 6"



1299
Ht. 34"
Wid. 14½"
Extends: 19"
Top to Outlet: 28"
Backplate: 26½" x 6"



129073
Ht. 35"
Wid. 14½"
Extends: 22½"
Top to Outlet: 23"
Backplate: 11½" x 5"



129076
Ht. 30"
Wid. 14½"
Extends: 22½"
Top to Outlet: 12½"
Backplate: 11½" x 5"

1400 Series

Small



1431
Ht. 9½"
Wid. 6"
Overall: 22"



1434
Ht. 14"
Wid. 6"
Extends: 6¾"
Top to Outlet: 6½"
Backplate: 4½"



1436
Ht. 14"
Wid. 6"
Extends: 9"
Top to Outlet: 6"
Backplate: 6½" x 4¼"



1439
Ht. 9¾"
Wid. 6"
Extends: 7"
Top to Outlet: 6"
Backplate: 4½"



14308
Ht. 14"
Wid. 6"
Extends: 11"
Top to Outlet: 4"
Backplate: 11" x 4¾"

Medium



1450
Ht. 22"
Wid. 9"



1451
Ht. 15"
Wid. 9"
Overall: 39"



1454
Ht. 26"
Wid. 9"
Extends: 10½"
Top to Outlet: 15"
Backplate: 6½" x 4¼"



1456
Ht. 19"
Wid. 9"
Extends: 10½"
Top to Outlet: 6"
Backplate: 6½" x 4 ¼"



1459
Ht. 21"
Wid. 9"
Extends: 10½"
Top to Outlet: 15"
Backplate: 6½" x 4¼"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble, Pearl

Socket Options:

Small *Standard:* 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium *Standard:* 1 Lite Edison (75 Watt Max);

Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large *Standard:* 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt

Extra Large *Standard:* 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (200 Watt Max), LED 6,12,18 watt



Made in the USA

1400 Series

Large



1470
Ht. 27"
Wid. 12"



1471
Ht. 20½"
Wid. 12"
Overall: 45"



1474
Ht. 42"
Wid. 12"
Extends: 15"
Top to Outlet: 18"
Backplate: 6½" x 4 ¼"



1476
Ht. 22"
Wid. 12"
Extends: 15"
Top to Outlet: 5"
Backplate: 6½" x 4¼"



1479
Ht. 24"
Wid. 12"
Extends: 15"
Top to Outlet: 18"
Backplate: 6½" x 4¼"

Extra Large



1490
Ht. 31"
Wid. 16"

1494
Ht. 48"
Wid. 16"
Extends: 22"
Top to Outlet: 32"
Backplate: 26½" x 6"



1491
Ht. 29"
Wid. 16"
Overall: 53"



1496
Ht. 36"
Wid. 16"
Extends: 22"
Top to Outlet: 8"
Backplate: 26½" x 6"



1499
Ht. 40"
Wid. 16"
Extends: 22"
Top to Outlet: 32"
Backplate: 26½" x 6"



1500 Series

Small



1530
Ht. 14½"
Wid. 8"



1531
Ht. 14"
Wid. 8"
Overall: 26"



1534
Ht. 16"
Wid. 8"
Extends: 10"
Top to Outlet: 13"
Backplate: 7" x 4½"



1536
Ht. 16"
Wid. 8"
Extends: 10"
Top to Outlet: 4"
Backplate: 7" x 4½"



1539
Ht. 14½"
Wid. 8"
Extends: 10"
Top to Outlet: 11"
Backplate: 6½" x 4¼"

Medium



1550
Ht. 22"
Wid. 10"



1551
Ht. 18"
Wid. 10"
Overall: 30"



1554
Ht. 28"
Wid. 10"
Extends: 12"
Top to Outlet: 17"
Backplate: 6½" x 4¼"



1556
Ht. 20½"
Wid. 10"
Extends: 12"
Top to Outlet: 7"
Backplate: 6½" x 4¼"



1559
Ht. 20½"
Wid. 10"
Extends: 12"
Top to Outlet: 17"
Backplate: 6½" x 4¼"



15503
Ht. 22"
Wid. 10"
Extends: 12"
Top to Outlet: 16"
Backplate: 5¾"



15504
Ht. 21"
Wid. 10"
Extends: 11½"
Top to Outlet: 4"
Backplate: 8" x 5"



15506
Ht. 21"
Wid. 10"
Extends: 12"
Top to Outlet: 11"
Backplate: 5¾"



15507
Ht. 23"
Wid. 10"
Extends: 11½"
Top to Outlet: 16"
Backplate: 8" x 5"



155063
Ht. 23"
Wid. 10"
Extends: 13½"
Top to Outlet: 16½"
Backplate: 8" x 5"



155066
Ht. 22"
Wid. 10"
Extends: 13½"
Top to Outlet: 8"
Backplate: 8" x 5"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble, Pearl
& Beveled Glass
(All sizes except small).

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt

Extra **Standard:** 3 Lite Cluster (3-60 Watt Max)

Large **Options:** 1 Lite Edison (250 Watt Max), LED 6,12,18 watt



Made in the USA

1500 Series

Large



1570
Ht. 28"
Wid. 13"



1571
Ht. 25"
Wid. 13"
Overall: 37"



1574
Ht. 41"
Wid. 13"
Extends: 15"
Top to Outlet: 22"
Backplate: 6½" x 4¼"



1576
Ht. 29"
Wid. 13"
Extends: 15"
Top to Outlet: 9"
Backplate: 6½" x 4¼"



1579
Ht. 29"
Wid. 13"
Extends: 15"
Top to Outlet: 22"
Backplate: 6½" x 4¼"



15703
Ht. 28"
Wid. 13"
Extends: 17"
Top to Outlet: 22"
Backplate: 5¾"



15704
Ht. 33"
Wid. 13"
Extends: 14½"
Top to Outlet: 4"
Backplate: 11½" x 5"



15706
Ht. 26"
Wid. 13"
Extends: 17"
Top to Outlet: 7"
Backplate: 5¾"



15707
Ht. 33"
Wid. 13"
Extends: 14½"
Top to Outlet: 24½"
Backplate: 11½" x 5"



157073
Ht. 31"
Wid. 13"
Extends: 22"
Top to Outlet: 16½"
Backplate: 11½" x 5"



157076
Ht. 29½"
Wid. 13"
Extends: 22"
Top to Outlet: 5½"
Backplate: 11½" x 5"



157083
Ht. 31"
Wid. 13"
Extends: 21"
Top to Outlet: 21"
Backplate: 26½" x 6"



157086
Ht. 29½"
Wid. 13"
Extends: 21"
Top to Outlet: 14"
Backplate: 26½" x 6"

1500 Series

Extra Large



1590
Ht. 34"
Wid. 14½"



1591
Ht. 25"
Wid. 14½"
Overall: 49"



1594
Ht. 48"
Wid. 14½"
Extends: 19"
Top to Outlet: 28"
Backplate: 26½" x 6"



1596
Ht. 29"
Wid. 14½"
Extends: 19"
Top to Outlet: 8"
Backplate: 26½" x 6"



1599
Ht. 34"
Wid. 14½"
Extends: 19"
Top to Outlet: 28"
Backplate: 26½" x 6"



159073
Ht. 37½"
Wid. 14½"
Extends: 23"
Top to Outlet: 24½"
Backplate: 11½" x 5"



159076
Ht. 32"
Wid. 14½"
Extends: 23"
Top to Outlet: 12½"
Backplate: 11½" x 5"



Made in the USA

1600 Series

Medium



1650
Ht. 19"
Wid. 12"



1651
Ht. 17½"
Wid. 12"
Overall: 30"



1654
Ht. 25"
Wid. 12"
Extends: 14"
Top to Outlet: 17"
Backplate: 6½" x 4¼"



1656
Ht. 18½"
Wid. 12"
Extends: 14"
Top to Outlet: 7"
Backplate: 6½" x 4¼"



1659
Ht. 18½"
Wid. 12"
Extends: 14"
Top to Outlet: 17"
Backplate: 6½" x 4¼"



16503
Ht. 18½"
Wid. 12"
Extends: 14½"
Top to Outlet: 11"
Backplate: 5¾"



16506
Ht. 18½"
Wid. 12"
Extends: 14½"
Top to Outlet: 17"
Backplate: 5¾"



165063
Ht. 20"
Wid. 12"
Extends: 15½"
Top to Outlet: 14"
Backplate: 8" x 5"



165066
Ht. 19"
Wid. 12"
Extends: 15½"
Top to Outlet: 8"
Backplate: 8" x 5"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble,
Pearl & Beveled Glass.

Socket Options:

Medium Standard: 1 Lite Edison (100 Watt Max);

Options: 3 Lite Cluster (3-40 Watt Max), **LED** 6,12 watt

1700 Series

Small



1731
Ht. 9¾"
Wid. 6"
Overall: 22"



1734
Ht. 14½"
Wid. 6"
Extends: 6½"
Top to Outlet: 9"
Backplate: 4½"



1736
Ht. 11"
Wid. 6"
Extends: 8"
Top to Outlet: 5"
Backplate: 6½" x 4¼"



1739
Ht. 9¾"
Wid. 6"
Extends: 7"
Top to Outlet: 6½"
Backplate: 4½"



17304
Ht. 15½"
Wid. 6"
Extends: 8½"
Top to Outlet: 4"
Backplate: 8" x 5"



17306
Ht. 12¼"
Wid. 6"
Extends: 11"
Top to Outlet: 7"
Backplate: 5¾"

Medium



1770
Ht. 18"
Wid. 8½"



1771
Ht. 16"
Wid. 8½"
Overall: 28"



1774
Ht. 23"
Wid. 8½"
Extends: 9½"
Top to Outlet: 15"
Backplate: 6½" x 4¼"



1776
Ht. 19"
Wid. 8½"
Extends: 9½"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



1779
Ht. 19"
Wid. 8½"
Extends: 9½"
Top to Outlet: 15"
Backplate: 6½" x 4¼"



17703
Ht. 17"
Wid. 8½"
Extends: 13"
Top to Outlet: 10"
Backplate: Backplate: 5¾"



17706
Ht. 17"
Wid. 8½"
Extends: 13"
Top to Outlet: 8"
Backplate: Backplate: 5¾"



177063
Ht. 19"
Wid. 8½"
Extends: 12"
Top to Outlet: 12"
Backplate: 8" x 5"



177066
Ht. 17"
Wid. 8½"
Extends: 12"
Top to Outlet: 8"
Backplate: 8" x 5"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble, Pearl & Beveled Glass.

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 2 Lite Cluster (2-40 Watt Max), LED 6,12 watt

Large **Standard:** 3 Lite Cluster (3-60 Watt Max),

Options: 1 Lite Edison (150 Watt Max), LED 6,12,18 watt



Made in the USA

1700 Series

Large



1790
Ht. 25"
Wid. 11½"



1791
Ht. 21"
Wid. 11½"
Overall: 45"



1794
Ht. 31½"
Wid. 11½"
Extends: 12½"
Top to Outlet: 20"
Backplate: 6½" x 4¼"



1796
Ht. 21"
Wid. 11½"
Extends: 12½"
Top to Outlet: 6"
Backplate: 6½" x 4¼"



1799
Ht. 23"
Wid. 11½"
Extends: 12½"
Top to Outlet: 19"
Backplate: 6½" x 4¼"



17903
Ht. 23"
Wid. 11½"
Extends: 14"
Top to Outlet: 16"
Backplate: 5¾"



17906
Ht. 23"
Wid. 11½"
Extends: 14"
Top to Outlet: 8"
Backplate: 5¾"



179073
Ht. 29"
Wid. 11½"
Extends: 15"
Top to Outlet: 14"
Backplate: 11½" x 5"



179076
Ht. 24"
Wid. 11½"
Extends: 15"
Top to Outlet: 5½"
Backplate: 11½" x 5"

1800 Series

Small



1830
Ht. 15½"
Wid. 6"



1831
Ht. 13½"
Wid. 6"
Overall: 26"



18303
Ht. 14½"
Wid. 6"
Extends: 12½"
Top to Outlet: 8"
Backplate: 5¾"



18304
Ht. 15"
Wid. 6"
Extends: 10"
Top to Outlet: 4"
Backplate: 8" x 5"



18306
Ht. 16½"
Wid. 6"
Extends: 12"
Top to Outlet: 7"
Backplate: 5¾"

Medium



1850
Ht. 22"
Wid. 10"



1851
Ht. 18½"
Wid. 10"
Overall: 31"



1854
Ht. 27½"
Wid. 10"
Extends: 10½"
Top to Outlet: 16½"
Backplate: 6½" x 4¼"



1856
Ht. 21"
Wid. 10"
Extends: 10½"
Top to Outlet: 3½"
Backplate: 6½" x 4¼"



1859
Ht. 21"
Wid. 10"
Extends: 10½"
Top to Outlet: 16½"
Backplate: 6½" x 4¼"



18503
Ht. 21½"
Wid. 10"
Extends: 14"
Top to Outlet: 13½"
Backplate: 5¾"



18506
Ht. 20½"
Wid. 10"
Extends: 14"
Top to Outlet: 8"
Backplate: 5¾"



185063
Ht. 23"
Wid. 10"
Extends: 12"
Top to Outlet: 17"
Backplate: 8" x 5"



185066
Ht. 22"
Wid. 10"
Extends: 12"
Top to Outlet: 8"
Backplate: 8" x 5"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble, Pearl
& Beveled Glass
(All sizes except small).

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 2 Lite Cluster (2-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt



Made in the USA

1800 Series

Large



1870
Ht. 31½"
Wid. 12"



1871
Ht. 28"
Wid. 12"
Overall: 52"



1874
Ht. 44½"
Wid. 12"
Extends: 14"
Top to Outlet: 26"
Backplate: 6½" x 4¼"



1876
Ht. 24½"
Wid. 12"
Extends: 14"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



1879
Ht. 31"
Wid. 12"
Extends: 14"
Top to Outlet: 24½"
Backplate: 6½" x 4¼"



18703
Ht. 31"
Wid. 12"
Extends: 15"
Top to Outlet: 23"
Backplate: 5¾"



18706
Ht. 25"
Wid. 12"
Extends: 15"
Top to Outlet: 8½"
Backplate: 5¾"



187073
Ht. 34"
Wid. 12"
Extends: 20½"
Top to Outlet: 20"
Backplate: 11½" x 5"



187076
Ht. 26"
Wid. 12"
Extends: 20½"
Top to Outlet: 5½"
Backplate: 11½" x 5"

2000 Series

Small

2030
Ht. 18½"
Wid. 6½"



2031
Ht. 13"
Wid. 6½"
Overall: 25"



2032
Ht. 13"
Wid. 6½"
Extends: 8"
Top to Outlet: 7½"
Backplate: 4½"



2034
Ht. 23"
Wid. 6½"
Extends: 9¼"
Top to Outlet: 13"
Backplate: 6½" x 4¼"



2036
Ht. 13¾"
Wid. 6½"
Extends: 9¼"
Top to Outlet: 4½"
Backplate: 6½" x 4¼"



2039
Ht. 19"
Wid. 6½"
Extends: 9¼"
Top to Outlet: 13"
Backplate: 6½" x 4¼"



20303
Ht. 15"
Wid. 6½"
Extends: 11½"
Top to Outlet: 8"
Backplate: 5¾"



20306
Ht. 14"
Wid. 6½"
Extends: 11½"
Top to Outlet: 6½"
Backplate: 5¾"



Medium

2050
Ht. 25"
Wid. 8½"



2051
Ht. 16"
Wid. 8½"
Overall: 28"



2054
Ht. 31½"
Wid. 8½"
Extends: 12"
Top to Outlet: 16"
Backplate: 6½" x 4¼"



2056
Ht. 18½"
Wid. 8½"
Extends: 12"
Top to Outlet: 5"
Backplate: 6½" x 4¼"



2059
Ht. 23½"
Wid. 8½"
Extends: 12"
Top to Outlet: 16"
Backplate: 6½" x 4¼"



20503
Ht. 23½"
Wid. 8½"
Extends: 12"
Top to Outlet: 21"
Backplate: 5¾"



20506
Ht. 18"
Wid. 8½"
Extends: 12"
Top to Outlet: 8"
Backplate: 5¾"



205063
Ht. 25½"
Wid. 8½"
Extends: 13½"
Top to Outlet: 19"
Backplate: 8" x 5"



205066
Ht. 18½"
Wid. 8½"
Extends: 12"
Top to Outlet: 5"
Backplate: 8" x 5"



Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)
Options: 3 Lite Cluster (3-20 Watt Max), LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);
Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);
Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt



Made in the USA

2000 Series

Large



2090
Ht. 30"
Wid. 10½"



2091
Ht. 23"
Wid. 10½"
Overall: 47"



2094
Ht. 44"
Wid. 10½"
Extends: 14"
Top to Outlet: 23"
Backplate: 26½" x 6"



2096
Ht. 30"
Wid. 10½"
Extends: 14"
Top to Outlet: 12"
Backplate: 26½" x 6"



2099
Ht. 34"
Wid. 10½"
Extends: 14"
Top to Outlet: 23"
Backplate: 26½" x 6"



20907
Ht. 36½"
Wid. 10½"
Extends: 12¼"
Top to Outlet: 28"
Backplate: 11½" x 5"



209073
Ht. 32"
Wid. 10½"
Extends: 21"
Top to Outlet: 18"
Backplate: 11½" x 5"



209076
Ht. 25"
Wid. 10½"
Extends: 21"
Top to Outlet: 5½"
Backplate: 11½" x 5"

2100 Series

Small

2130
Ht. 13"
Wid. 6"



2131
Ht. 11"
Wid. 6"
Overall: 23"



2134
Ht. 14"
Wid. 6"
Extends: 10¼"
Top to Outlet: 11"
Backplate: 7" x 4½"



21303
Ht. 12"
Wid. 6"
Extends: 12½"
Top to Outlet: 5½"
Backplate: 5¾"



21306
Ht. 14"
Wid. 6"
Extends: 12½"
Top to Outlet: 7"
Backplate: 5¾"



213063
Ht. 13½"
Wid. 6"
Extends: 12½"
Top to Outlet: 6½"
Backplate: 8" x 5"



213066
Ht. 16"
Wid. 6"
Extends: 12½"
Top to Outlet: 7"
Backplate: 8" x 5"



Medium



2150
Ht. 17½"
Wid. 8½"



2151
Ht. 14"
Wid. 8½"
Overall: 26"



2154
Ht. 23"
Wid. 8½"
Extends: 10½"
Top to Outlet: 12"
Backplate: 6½" x 4¼"



2156
Ht. 16½"
Wid. 8½"
Extends: 10½"
Top to Outlet: 3½"
Backplate: 6½" x 4¼"



2159
Ht. 16½"
Wid. 8½"
Extends: 10½"
Top to Outlet: 12"
Backplate: 6½" x 4¼"



21503
Ht. 17"
Wid. 8½"
Extends: 14"
Top to Outlet: 9"
Backplate: 5¾"



21506
Ht. 20"
Wid. 8½"
Extends: 14"
Top to Outlet: 8"
Backplate: 5¾"



215063
Ht. 17"
Wid. 8½"
Extends: 14½"
Top to Outlet: 10"
Backplate: 8" x 5"



215066
Ht. 19"
Wid. 8½"
Extends: 14½"
Top to Outlet: 7"
Backplate: 8" x 5"

Panels:

Standard Panels: Clear

Options: Seedy, Ripple, Opal, Pebble, Pearl
(All sizes except small).

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 2 Lite Cluster (2-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt



Made in the USA

2100 Series

Large



2170
Ht. 22½"
Wid. 11¼"



2171
Ht. 24"
Wid. 11¼"
Overall: 48"



2174
Ht. 40½"
Wid. 11¼"
Extends: 14"
Top to Outlet: 22"
Backplate: 6½" x 4¼"



2176
Ht. 26"
Wid. 11¼"
Extends: 14"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



2179
Ht. 26"
Wid. 11¼"
Extends: 14"
Top to Outlet: 20½"
Backplate: 6½" x 4¼"



21703
Ht. 26"
Wid. 11¼"
Extends: 15"
Top to Outlet: 19"
Backplate: 5¾"



21704
Ht. 27"
Wid. 11¼"
Extends: 14"
Top to Outlet: 5"
Backplate: 8" x 5"



21706
Ht. 21"
Wid. 11¼"
Extends: 15"
Top to Outlet: 8½"
Backplate: 5¾"



21707
Ht. 33"
Wid. 11¼"
Extends: 14"
Top to Outlet: 26"
Backplate: 8" x 5"



217073
Ht. 25¾"
Wid. 11¼"
Extends: 20"
Top to Outlet: 12½"
Backplate: 11½" x 5"



217076
Ht. 27½"
Wid. 11¼"
Extends: 20"
Top to Outlet: 6¾"
Backplate: 11½" x 5"

2300 Series

Small



2330
Ht. 14½"
Wid. 6"



2331
Ht. 10½"
Wid. 6"
Overall: 23"



2332
Ht. 9¼"
Wid. 6"
Extends: 8"
Top to Outlet: 2½"
Backplate: 4½"



2336
Ht. 12¼"
Wid. 6"
Extends: 9"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



2339
Ht. 14½"
Wid. 6"
Extends: 8½"
Top to Outlet: 9½"
Backplate: 6½" x 4¼"



23303
Ht. 12½"
Wid. 6"
Extends: 12"
Top to Outlet: 8½"
Backplate: 5¾"



233044
Ht. 10½"
Wid. 6"
Extends: 10"
Top to Outlet: 5"
Backplate: 7¾" x 5½"



233047
Ht. 12½"
Wid. 6"
Extends: 10"
Top to Outlet: 8¼"
Backplate: 7¾" x 5½"

Medium



2350
Ht. 17"
Wid. 8"



2351
Ht. 13½"
Wid. 8"
Overall: 26"



2356
Ht. 14¼"
Wid. 8"
Extends: 10½"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



2359
Ht. 17"
Wid. 8"
Extends: 10½"
Top to Outlet: 12½"
Backplate: 6½" x 4¼"



235044
Ht. 13¼"
Wid. 8"
Extends: 11¼"
Top to Outlet: 5"
Backplate: 7¾" x 5½"



235047
Ht. 15½"
Wid. 8"
Extends: 11¼"
Top to Outlet: 11"
Backplate: 7¾" x 5½"



235063
Ht. 17½"
Wid. 8"
Extends: 13"
Top to Outlet: 11"
Backplate: 8" x 5"



235066
Ht. 17½"
Wid. 8"
Extends: 13"
Top to Outlet: 8"
Backplate: 8" x 5"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)
Options: 3 Lite Cluster (3-20 Watt Max), LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);
Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);
Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt



2300 Series

Large



2390
Ht. 21"
Wid. 10¼"



2391
Ht. 17"
Wid. 10¼"
Overall: 41"



2394
Ht. 34½"
Wid. 10¼"
Extends: 14"
Top to Outlet: 15"
Backplate: 26½" x 6"



2396
Ht. 24"
Wid. 10¼"
Extends: 14"
Top to Outlet: 12"
Backplate: 26½" x 6"



2399
Ht. 26½"
Wid. 10¼"
Extends: 14"
Top to Outlet: 15"
Backplate: 26½" x 6"



239073
Ht. 24"
Wid. 10¼"
Extends: 20¼"
Top to Outlet: 14"
Backplate: 11½" x 5"



239076
Ht. 18¾"
Wid. 10¼"
Extends: 20¼"
Top to Outlet: 5½"
Backplate: 11½" x 5"

2400 Series

Small

2430
Ht. 15"
Wid. 7½"



2431
Ht. 13½"
Wid. 7½"
Overall: 26"



2439
Ht. 15"
Wid. 7½"
Extends: 9"
Top to Outlet: 11½"
Backplate: 6½" x 4¼"



24303
Ht. 15"
Wid. 7½"
Extends: 12½"
Top to Outlet: 8"
Backplate: 5¾"



24306
Ht. 15"
Wid. 7½"
Extends: 12½"
Top to Outlet: 7"
Backplate: 5¾"



Medium

2450
Ht. 21½"
Wid. 10"



2451
Ht. 20"
Wid. 10"
Overall: 32"



2454
Ht. 27½"
Wid. 10"
Extends: 11½"
Top to Outlet: 17½"
Backplate: 6½" x 4¼"



2456
Ht. 21"
Wid. 10"
Extends: 11½"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



2459
Ht. 21½"
Wid. 10"
Extends: 11½"
Top to Outlet: 17½"
Backplate: 6½" x 4¼"



24503
Ht. 21"
Wid. 10"
Extends: 13"
Top to Outlet: 13½"
Backplate: 5¾"



24504
Ht. 24"
Wid. 10"
Extends: 12"
Top to Outlet: 4"
Backplate: 8" x 5"



24506
Ht. 20½"
Wid. 10"
Extends: 13"
Top to Outlet: 7"
Backplate: 5¾"



24507
Ht. 24"
Wid. 10"
Extends: 12"
Top to Outlet: 21"
Backplate: 8" x 5"



245063
Ht. 22½"
Wid. 10"
Extends: 13½"
Top to Outlet: 16"
Backplate: 8" x 5"



245066
Ht. 21½"
Wid. 10"
Extends: 13½"
Top to Outlet: 8½"
Backplate: 8" x 5"



Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble,
& Beveled Glass

Pearl
(All sizes except small).

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 2 Lite Cluster (2-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt



Made in the USA

2400 Series

Large

2470
Ht. 29½"
Wid. 13½"



2471
Ht. 26¾"
Wid. 13½"
Overall: 51"



2474
Ht. 43½"
Wid. 13½"
Extends: 13½"
Top to Outlet: 25"
Backplate: 6½" x 4¼"



2476
Ht. 28"
Wid. 13½"
Extends: 13½"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



2479
Ht. 29½"
Wid. 13½"
Extends: 13½"
Top to Outlet: 25"
Backplate: 6½" x 4¼"



24703
Ht. 29¼"
Wid. 13½"
Extends: 17½"
Top to Outlet: 22½"
Backplate: 5¾"



24704
Ht. 29"
Wid. 13½"
Extends: 14"
Top to Outlet: 9"
Backplate: 11½" x 5"



24706
Ht. 23"
Wid. 13½"
Extends: 17½"
Top to Outlet: 7"
Backplate: 5¾"



24707
Ht. 36"
Wid. 13½"
Extends: 14"
Top to Outlet: 28"
Backplate: 11½" x 5"



247073
Ht. 32½"
Wid. 13½"
Extends: 22"
Top to Outlet: 18"
Backplate: 11½" x 5"



247076
Ht. 31"
Wid. 13½"
Extends: 22"
Top to Outlet: 5½"
Backplate: 11½" x 5"



2500 Series

Small

2530
Ht. 17"
Wid. 7½"



2531
Ht. 15½"
Wid. 7½"
Overall: 28"



2532
Ht. 15½"
Wid. 7½"
Extends: 8½"
Top to Outlet: 10¾"
Backplate: 4½"



2534
Ht. 20"
Wid. 7½"
Extends: 8½"
Top to Outlet: 10¾"
Backplate: 4½"



2536
Ht. 16½"
Wid. 7½"
Extends: 9"
Top to Outlet: 5"
Backplate: 6½" x 4¼"



2539
Ht. 16½"
Wid. 7½"
Extends: 9"
Top to Outlet: 12"
Backplate: 6½" x 4¼"



25303
Ht. 16¾"
Wid. 7½"
Extends: 10¾"
Top to Outlet: 9"
Backplate: 5¾"



25306
Ht. 16"
Wid. 7½"
Extends: 10¾"
Top to Outlet: 8"
Backplate: 5¾"



253063
Ht. 17¼"
Wid. 7½"
Extends: 13"
Top to Outlet: 11½"
Backplate: 8" x 5"



253066
Ht. 16"
Wid. 7½"
Extends: 13"
Top to Outlet: 5½"
Backplate: 8" x 5"



Medium

2550
Ht. 23"
Wid. 10¼"



2551
Ht. 20½"
Wid. 10¼"
Overall: 32"



2554
Ht. 29"
Wid. 10¼"
Extends: 10¾"
Top to Outlet: 18"
Backplate: 6½" x 4¼"



2556
Ht. 23"
Wid. 10¼"
Extends: 10¾"
Top to Outlet: 6½"
Backplate: 6½" x 4¼"



2559
Ht. 22½"
Wid. 10¼"
Extends: 10¾"
Top to Outlet: 18"
Backplate: 6½" x 4¼"



25503
Ht. 22½"
Wid. 10¼"
Extends: 13½"
Top to Outlet: 16"
Backplate: 5¾"



25506
Ht. 21"
Wid. 10¼"
Extends: 13½"
Top to Outlet: 7½"
Backplate: 5¾"



255063
Ht. 24"
Wid. 10¼"
Extends: 14½"
Top to Outlet: 18½"
Backplate: 8" x 5"



255066
Ht. 22"
Wid. 10¼"
Extends: 14½"
Top to Outlet: 4"
Backplate: 8" x 5"



Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: 2 Lite Cluster (2-20 Watt Max), LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max);

Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large

Standard: 3 Lite Cluster (3-60 Watt Max),

Options: 1 Lite Edison (150 Watt Max), LED 6,12,18 watt



Made in the USA

2500 Series

Large



2590
Ht. 29½"
Wid. 14"



2591
Ht. 27"
Wid. 14"
Overall: 51"



2594
Ht. 44"
Wid. 14"
Extends: 16½"
Top to Outlet: 23½"
Backplate: 26½" x 6"



2596
Ht. 34"
Wid. 14"
Extends: 16½"
Top to Outlet: 12"
Backplate: 26½" x 6"



2599
Ht. 34"
Wid. 14"
Extends: 16½"
Top to Outlet: 23½"
Backplate: 26½" x 6"



259073
Ht. 33"
Wid. 14"
Extends: 22"
Top to Outlet: 20"
Backplate: 11½" x 5"



259076
Ht. 33"
Wid. 14"
Extends: 22"
Top to Outlet: 12½"
Backplate: 11½" x 5"



259083
Ht. 32½"
Wid. 14"
Extends: 22"
Top to Outlet: 20"
Backplate: 26½" x 6"



259086
Ht. 32½"
Wid. 14"
Extends: 22"
Top to Outlet: 14"
Backplate: 26½" x 6"

2600 Series

Small

2630
Ht. 15"
Wid. 9¼"



2631
Ht. 12"
Wid. 9¼"
Overall: 24"



2634
Ht. 19½"
Wid. 9¼"
Extends: 10½"
Top to Outlet: 9½"
Backplate: 6½" x 4¼"



2636
Ht. 10½"
Wid. 9¼"
Extends: 10½"
Top to Outlet: 4½"
Backplate: 6½" x 4¼"



2639
Ht. 15½"
Wid. 9¼"
Extends: 10½"
Top to Outlet: 9½"
Backplate: 6½" x 4¼"



26302
Ht. 15¼"
Wid. 9¼"
Extends: 11½"
Top to Outlet: 4"
Backplate: 7" x 4½"



263047
Ht. 13"
Wid. 9¼"
Extends: 11½"
Top to Outlet: 8¾"
Backplate: 7¾" x 5½"



2650
Ht. 21¼"
Wid. 12½"



2651
Ht. 15"
Wid. 12½"
Overall: 27"



Medium

26504
Ht. 19"
Wid. 12½"
Extends: 14½"
Top to Outlet: 5"
Backplate: 8" x 5"



265073
Ht. 24¾"
Wid. 12½"
Extends: 20½"
Top to Outlet: 11½"
Backplate: 11½" x 5"



2690
Ht. 24½"
Wid. 16¼"



2691
Ht. 18"
Wid. 16¼"
Overall: 42"



Large

269073
Ht. 26½"
Wid. 16¼"
Extends: 22"
Top to Outlet: 13"
Backplate: 11½" x 5"



269094
Ht. 39½"
Wid. 16¼"
Extends: 23½"
Top to Outlet: 22"
Backplate: 26½" x 6"



269096
Ht. 28½"
Wid. 16¼"
Extends: 23½"
Top to Outlet: 12"
Backplate: 26½" x 6"



269099
Ht. 28½"
Wid. 16¼"
Extends: 23½"
Top to Outlet: 22"
Backplate: 26½" x 6"



Panels:

Standard Panels: Pearl

Options: Clear, Ripple, Opal, Pebble, Seedy

Socket Options:

Small

Standard: 1 Lite Edison (60 Watt Max)

Options: 3 Lite Cluster (3-20 Watt Max), LED 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max);

Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large

Standard: 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt



Made in the USA

2700 Series

Small



Medium



Panels:

Standard Panels: Pearl

Options: Clear, Ripple, Opal, Pebble, Seedy

Socket Options:

Small	Standard: 1 Lite Edison (60 Watt Max) Options: 3 Lite Cluster (3-20 Watt Max), LED 6 watt
Medium	Standard: 1 Lite Edison (100 Watt Max); Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt
Large	Standard: 1 Lite Edison (150 Watt Max); Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt

2700 Series

Large



2790
Ht. 26"
Wid. 11½"



2791
Ht. 22"
Wid. 11½"
Overall: 46"



2796
Ht. 29"
Wid. 11½"
Extends: 14½"
Top to Outlet: 12"
Backplate: 26½" x 6"



2799
Ht. 33"
Wid. 11½"
Extends: 14½"
Top to Outlet: 22"
Backplate: 26½" x 6"



279083
Ht. 31"
Wid. 11½"
Extends: 21½"
Top to Outlet: 14"
Backplate: 26½" x 6"



279086
Ht. 24"
Wid. 11½"
Extends: 21½"
Top to Outlet: 19"
Backplate: 26½" x 6"



Made in the USA

2900 Series

Small

2930
Ht. 17½"
Wid. 6¾"



2931
Ht. 12"
Wid. 6¾"
Overall: 24"



2936
Ht. 12¾"
Wid. 6¾"
Extends: 9¼"
Top to Outlet: 4½"
Backplate: 6½" x 4¼"



2939
Ht. 18"
Wid. 6¾"
Extends: 9¼"
Top to Outlet: 12"
Backplate: 6½" x 4¼"



293044
Ht. 13½"
Wid. 6¾"
Extends: 10½"
Top to Outlet: 5"
Backplate: 7¾" x 5½"



293047
Ht. 15½"
Wid. 6¾"
Extends: 10½"
Top to Outlet: 11¼"
Backplate: 7¾" x 5½"



293063
Ht. 17½"
Wid. 6¾"
Extends: 11½"
Top to Outlet: 14"
Backplate: 8" x 5"



293066
Ht. 11"
Wid. 6¾"
Extends: 11½"
Top to Outlet: 8"
Backplate: 8" x 5"



Medium

2950
Ht. 21"
Wid. 9"



2951
Ht. 15"
Wid. 9"
Overall: 39"



2954
Ht. 30½"
Wid. 9"
Extends: 12½"
Top to Outlet: 15"
Backplate: 6½" x 4¼"



2956
Ht. 17½"
Wid. 9"
Extends: 12½"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



2959
Ht. 22½"
Wid. 9"
Extends: 12½"
Top to Outlet: 15"
Backplate: 6½" x 4¼"



29504
Ht. 21"
Wid. 9"
Extends: 13½"
Top to Outlet: 12"
Backplate: 8" x 5"



29506
Ht. 17"
Wid. 9"
Extends: 12½"
Top to Outlet: 11"
Backplate: 5¾"



295044
Ht. 20¼"
Wid. 9"
Extends: 11¾"
Top to Outlet: 5"
Backplate: 7¾" x 5½"



Panels:

Standard Panels: Pearl

Options: Clear, Ripple, Opal, Pebble, Seedy

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)
Options: 3 Lite Cluster (3-20 Watt Max), LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);
Options: 3 Lite Cluster (3-40 Watt Max), LED 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);
Options: 3 Lite Cluster (3-60 Watt Max), LED 6,12,18 watt

2900 Series

Medium

295047
Ht. 22½"
Wid. 9"
Extends: 11¼"
Top to Outlet: 18"
Backplate: 7¾" x 5½"



295063
Ht. 24½"
Wid. 9"
Extends: 14"
Top to Outlet: 18"
Backplate: 8" x 5"



295066
Ht. 17½"
Wid. 9"
Extends: 14"
Top to Outlet: 8"
Backplate: 8" x 5"



Large

2990
Ht. 26"
Wid. 11½"



2991
Ht. 22"
Wid. 11½"
Overall: 46"



2996
Ht. 29"
Wid. 11½"
Extends: 14½"
Top to Outlet: 12"
Backplate: 26½" x 6"



2999
Ht. 33"
Wid. 11½"
Extends: 14½"
Top to Outlet: 22"
Backplate: 26½" x 6"



299083
Ht. 31"
Wid. 11½"
Extends: 21½"
Top to Outlet: 19"
Backplate: 26½" x 6"



299086
Ht. 24"
Wid. 11½"
Extends: 21½"
Top to Outlet: 14"
Backplate: 26½" x 6"



Made in the USA

3000 Series

Extra Large



3090
Ht. 26"
Wid. 16"



3091
Ht. 25"
Wid. 16"
Overall: 49"



309073
Ht. 29"
Wid. 16"
Extends: 23½"
Top to Outlet: 16"
Backplate: 11½" x 5"



309096
Ht. 31"
Wid. 16"
Extends: 23½"
Top to Outlet: 12"
Backplate: 26½" x 6"



309076
Ht. 27½"
Wid. 16"
Extends: 23½"
Top to Outlet: 5½"
Backplate: 11½" x 5"



309099
Ht. 31"
Wid. 16"
Extends: 23½"
Top to Outlet: 20"
Backplate: 26½" x 6"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Extra Large *Standard:* 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (250 Watt Max), **LED** 6,12,18 watt

3200 Series

Small

3230
Ht. 15"
Wid. 9¼"



3231
Ht. 12"
Wid. 9¼"
Overall: 24"



3236
Ht. 10½"
Wid. 9¼"
Extends: 10½"
Top to Outlet: 4½"
Backplate: 6½" x 4¼"



3239
Ht. 15½"
Wid. 9¼"
Extends: 10½"
Top to Outlet: 9½"
Backplate: 6½" x 4¼"



323047
Ht. 13"
Wid. 9¼"
Extends: 11½"
Top to Outlet: 8¾"
Backplate: 7¾" x 5½"



Medium

3250
Ht. 21¼"
Wid. 12½"



3251
Ht. 15"
Wid. 12½"
Overall: 27"



32507
Ht. 24¼"
Wid. 12½"
Extends: 14½"
Top to Outlet: 20¼"
Backplate: 11½" x 5"



325073
Ht. 20½"
Wid. 12½"
Extends: 21½"
Top to Outlet: 12½"
Backplate: 11½" x 5"



Large

3290
Ht. 24½"
Wid. 16¼"



3291
Ht. 18"
Wid. 16¼"
Overall: 42"



329094
Ht. 39½"
Wid. 16¼"
Extends: 23½"
Top to Outlet: 22"
Backplate: 26½" x 6"



329096
Ht. 24½"
Wid. 16¼"
Extends: 23½"
Top to Outlet: 12"
Backplate: 26½" x 6"



329099
Ht. 28½"
Wid. 16¼"
Extends: 23½"
Top to Outlet: 22"
Backplate: 26½" x 6"



Panels:

Standard Panels: Pearl

Options: Clear, Ripple, Opal, Pebble, Seedy

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)
Options: 3 Lite Cluster (3-20 Watt Max), **LED** 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);
Options: 3 Lite Cluster (3-40 Watt Max), **LED** 6,12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);
Options: 3 Lite Cluster (3-60 Watt Max), **LED** 6,12,18 watt



Made in the USA

3300 Series

Small

3330

Ht. 17¼"
Wid. 7½"



3331

Ht. 15¾"
Wid. 7½"
Overall: 28"



3332

Ht. 15¾"
Wid. 7½"
Extends: 8½"
Top to Outlet: 11"
Backplate: 4½"



3336

Ht. 16¾"
Wid. 7½"
Extends: 9"
Top to Outlet: 5"
Backplate: 6½" x 4¼"



3339

Ht. 16¾"
Wid. 7½"
Extends: 9"
Top to Outlet: 12¼"
Backplate: 6½" x 4¼"



333063

Ht. 17¾"
Wid. 7½"
Extends: 13"
Top to Outlet: 11¾"
Backplate: 8" x 5"



333066

Ht. 16¼"
Wid. 7½"
Extends: 13"
Top to Outlet: 5"
Backplate: 8" x 5"



Medium

3350

Ht. 23½"
Wid. 10¼"



3351

Ht. 21"
Wid. 10¼"
Overall: 28"



3354

Ht. 29½"
Wid. 10¼"
Extends: 10¾"
Top to Outlet: 18½"
Backplate: 6½" x 4¼"



3356

Ht. 23½"
Wid. 10¼"
Extends: 10¾"
Top to Outlet: 6½"
Backplate: 6½" x 4¼"



3359

Ht. 23"
Wid. 10¼"
Extends: 10¾"
Top to Outlet: 18½"
Backplate: 6½" x 4¼"



335063

Ht. 24½"
Wid. 10¼"
Extends: 14½"
Top to Outlet: 19"
Backplate: 8" x 5"



335066

Ht. 22½"
Wid. 10¼"
Extends: 14½"
Top to Outlet: 4"
Backplate: 8" x 5"



Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small

Standard: 1 Lite Edison (75 Watt Max)

Options: 2 Lite Cluster (2-40 Watt Max), **LED** 6 watt

Medium

Standard: 1 Lite Edison (100 Watt Max);

Options: 3 Lite Cluster (3-40 Watt Max), **LED** 6,12 watt

Large

Standard: 3 Lite Cluster (3-60 Watt Max),

Options: 1 Lite Edison (250 Watt Max), **LED** 6,12,18 watt

3300 Series

Large



3390
Ht. 30½"
Wid. 14"



3391
Ht. 28"
Wid. 14"
Overall: 52"



3396
Ht. 35"
Wid. 14"
Extends: 16½"
Top to Outlet: 13"
Backplate: 26½" x 6"



3399
Ht. 35"
Wid. 14"
Extends: 16½"
Top to Outlet: 24½"
Backplate: 26½" x 6"



339083
Ht. 33½"
Wid. 14"
Extends: 22"
Top to Outlet: 21"
Backplate: 26½" x 6"



339086
Ht. 33½"
Wid. 14"
Extends: 22"
Top to Outlet: 14"
Backplate: 26½" x 6"



Made in the USA

1X - 2X - 3X Post Head Options

1X/12504
Ht. 25"
Spread: 14"
Collar: 3"
Width ea. Fixture: 10½"



2X/18707
Ht. 25"
Spread: 32½"
Collar: 3"
Width ea. Fixture: 12"



2X/24504
Ht. 28"
Spread: 21"
Collar: 3"
Width ea. Fixture: 10"



3X/6507
Ht. 24"
Spread: 20"
Collar: 3"
Width ea. Fixture: 8½"



3X/15507
Ht. 26½"
Spread: 22½"
Collar: 3"
Width ea. Fixture: 10"



Call factory for more options.

Accessories



2N
Ht. 2½", Wid. 5½", Fitter: 3"
(Includes 4 Tap-Con Anchor Screws)



2N Extension
Ht. 11", Wid. 5½", Fitter: 3"
(Includes 4 Tap-Con Anchor Screws)



3N
Ht. 10", Wid. 10½", Fitter: 3"
(Includes 2 Tap-Con Anchor Screws)



#1 Newell
Ht. 1¾", Wid. 4¼", Fitter: 3"
(Includes 2 Tap-Con Anchor Screws)



#7 Newell
Ht. 5", Wid. 5", Fitter: 3"
(Includes 2 Tap-Con Anchor Screws)



Large Scrolls
Wid. 15½"
(Sold in Pairs)



Extra Large Scrolls
Wid. 27½"
(Sold in Pairs)

Poles



1P-410 LR
Ht. 7'
Fitter: 3"
w/Ladder Rest
Direct Burial Pole



5P
Ht. 7'
Fitter: 3"
Direct Burial Pole



310 Ladder Rest
Width: 16"
Fitter: 3"
For 2P only



S-10
Ht. 24½"
Dia. 10"
Cast Aluminum Wrap Around Base
for use with any 3" OD Direct Burial
Pole



2P
Ht. 6'
Wid. 9"
Fitter: 3"
Tapered



Made in the USA

Tuscany



Outdoor Lighting Made The Way You Want It!

TC3400 Series

Small

Tuscany Series



TC3430
Ht. 16½"
Wid. 8½"



TC3431
Ht. 16½"
Wid. 8½"
Overall: 28"



TC343033
Ht. 22"
Wid. 8½"
Extends: 11½"
Top to Outlet: 11"
Backplate: 21¼" x 4½"



TC343036
Ht. 22"
Wid. 8½"
Extends: 11½"
Top to Outlet: 11"
Backplate: 21¼" x 4½"



TC343063
Ht. 16"
Wid. 8½"
Extends: 14"
Top to Outlet: 10"
Backplate: 8" x 5"



TC343066
Ht. 18"
Wid. 8½"
Extends: 14"
Top to Outlet: 5½"
Backplate: 8" x 5"



TC3450
Ht. 23"
Wid. 11½"



TC3451
Ht. 23"
Wid. 11½"
Overall: 35"



TC345033
Ht. 25½"
Wid. 11½"
Extends: 16½"
Top to Outlet: 12½"
Backplate: 26" x 5"



TC345036
Ht. 27"
Wid. 11½"
Extends: 16½"
Top to Outlet: 12½"
Backplate: 26" x 5"



TC345063
Ht. 24"
Wid. 11½"
Extends: 16"
Top to Outlet: 19"
Backplate: 8" x 5"



TC345066
Ht. 24"
Wid. 11½"
Extends: 16"
Top to Outlet: 5½"
Backplate: 8" x 5"

Panels:

Standard Globe: Seedy Glass

Options: Ripple, Acid Etch, Ripple Acid Etch

(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large **Standard:** 4 Lite Cluster (4-60 Watt Max)

Options: 1 Lite Edison (250 Watt Max), LED 6-12-18 watt



Made in the USA

TC3400 Series

Large



TC3490
Ht. 30½"
Wid. 16½"
Overall: 78"



TC3491
Ht. 30½"
Wid. 16½"
Overall: 54"



TC349053
Ht. 35½"
Wid. 16½"
Extends: 21½"
Top to Outlet: 15"
Backplate: 30½" x 6"



TC349056
Ht. 35½"
Wid. 16½"
Extends: 21½"
Top to Outlet: 15"
Backplate: 30½" x 6"



TC349073
Ht. 35"
Wid. 16½"
Extends: 23½"
Top to Outlet: 21"
Backplate: 11½" x 5"



TC349076
Ht. 35"
Wid. 16½"
Extends: 23½"
Top to Outlet: 7½"
Backplate: 11½" x 5"

TC3500 Series

Small



TC3530
Ht. 16½"
Wid. 8½"



TC3531
Ht. 16½"
Wid. 8½"
Overall: 28"



TC353033
Ht. 22"
Wid. 8½"
Extends: 11½"
Top to Outlet: 11"
Backplate: 21¼" x 4½"



TC353036
Ht. 22"
Wid. 8½"
Extends: 11½"
Top to Outlet: 11"
Backplate: 21¼" x 4½"



TC353063
Ht. 16"
Wid. 8½"
Extends: 14"
Top to Outlet: 10"
Backplate: 8" x 5"



TC353066
Ht. 18"
Wid. 8½"
Extends: 14"
Top to Outlet: 5½"
Backplate: 8" x 5"



TC3550
Ht. 23"
Wid. 11½"



TC3551
Ht. 23"
Wid. 11½"
Overall: 35"

Medium



TC355033
Ht. 25½"
Wid. 11½"
Extends: 16½"
Top to Outlet: 12½"
Backplate: 26" x 5"



TC355036
Ht. 27"
Wid. 11½"
Extends: 16½"
Top to Outlet: 12½"
Backplate: 26" x 5"



TC355063
Ht. 24"
Wid. 11½"
Extends: 16"
Top to Outlet: 19"
Backplate: 8" x 5"



TC355066
Ht. 24"
Wid. 11½"
Extends: 16"
Top to Outlet: 5½"
Backplate: 8" x 5"

Panels:

Standard Globe: Seedy Glass

Options: Ripple, Acid Etch, Ripple Acid Etch

(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large **Standard:** 4 Lite Cluster (4-60 Watt Max)

Options: 1 Lite Edison (250 Watt Max), LED 6-12-18 watt



Made in the USA

TC3500 Series

Large



TC3590
Ht. 30½"
Wid. 16½"



TC3591
Ht. 30½"
Wid. 16½"
Overall: 54"



TC359053
Ht. 35½"
Wid. 16½"
Extends: 21½"
Top to Outlet: 15"
Backplate: 30½" x 6"



TC359056
Ht. 35½"
Wid. 16½"
Extends: 21½"
Top to Outlet: 15"
Backplate: 30½" x 6"



TC359073
Ht. 35"
Wid. 16½"
Extends: 23½"
Top to Outlet: 21"
Backplate: 11½" x 5"



TC359076
Ht. 35"
Wid. 16½"
Extends: 23½"
Top to Outlet: 7½"
Backplate: 11½" x 5"

TC3600 Series

Small



TC3630
Ht. 16½"
Wid. 8½"



TC3631
Ht. 16½"
Wid. 8½"
Overall: 28"



TC363033
Ht. 22"
Wid. 8½"
Extends: 11½"
Top to Outlet: 11"
Backplate: 21¼" x 4½"



TC363036
Ht. 22"
Wid. 8½"
Extends: 11½"
Top to Outlet: 11"
Backplate: 21¼" x 4½"



TC363063
Ht. 16"
Wid. 8½"
Extends: 14"
Top to Outlet: 10"
Backplate: 8" x 5"



TC363066
Ht. 18"
Wid. 8½"
Extends: 14"
Top to Outlet: 5½"
Backplate: 8" x 5"

Medium



TC3650
Ht. 23"
Wid. 11½"



TC3651
Ht. 23"
Wid. 11½"
Overall: 35"



TC365033
Ht. 25½"
Wid. 11½"
Extends: 16½"
Top to Outlet: 12½"
Backplate: 26" x 5"



TC365036
Ht. 27"
Wid. 11½"
Extends: 16½"
Top to Outlet: 12½"
Backplate: 26" x 5"



TC365063
Ht. 24"
Wid. 11½"
Extends: 16"
Top to Outlet: 19"
Backplate: 8" x 5"



TC365066
Ht. 24"
Wid. 11½"
Extends: 16"
Top to Outlet: 5½"
Backplate: 8" x 5"

Panels:

Standard Globe: Seedy Glass

Options: Ripple, Acid Etch, Ripple Acid Etch

(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large **Standard:** 4 Lite Cluster (4-60 Watt Max)

Options: 1 Lite Edison (250 Watt Max), LED 6-12-18 watt



Made in the USA

TC3600 Series

Large



TC3690
Ht. 30½"
Wid. 16½"



TC3691
Ht. 30½"
Wid. 16½"
Overall: 54"



TC369053
Ht. 35½"
Wid. 16½"
Extends: 21½"
Top to Outlet: 15"
Backplate: 30½" x 6"



TC369056
Ht. 35½"
Wid. 16½"
Extends: 21½"
Top to Outlet: 15"
Backplate: 30½" x 6"



TC369073
Ht. 35"
Wid. 16½"
Extends: 23½"
Top to Outlet: 21"
Backplate: 11½" x 5"



TC369076
Ht. 35"
Wid. 16½"
Extends: 23½"
Top to Outlet: 7½"
Backplate: 11½" x 5"

TC3700 Series

Small

TC3730
Ht. 15¼"
Wid. 8¼"



TC3731
Ht. 13½"
Wid. 8¼"
Overall: 37"



TC373013
Ht. 14½"
Wid. 8¼"
Extends: 10"
Top to Outlet: 7½"
Backplate: 9½" x 4"



TC373063
Ht. 16½"
Wid. 8¼"
Extends: 13½"
Top to Outlet: 8"
Backplate: 8" x 5"



Medium

TC3750
Ht. 21"
Wid. 11½"



TC3751
Ht. 21"
Wid. 11½"
Overall: 33"



TC375013
Ht. 21"
Wid. 11½"
Extends: 12"
Top to Outlet: 12"
Backplate: 11½" x 4¾"



TC375063
Ht. 21"
Wid. 11½"
Extends: 16"
Top to Outlet: 16"
Backplate: 8" x 5"



Large

TC3790
Ht. 29"
Wid. 16"



TC3791
Ht. 29"
Wid. 16"
Overall: 53"



TC379043
Ht. 28"
Wid. 16"
Extends: 18"
Top to Outlet: 18"
Backplate: 14½" x 6½"



TC379073
Ht. 33"
Wid. 16"
Extends: 22½"
Top to Outlet: 18½"
Backplate: 11½" x 5"



Panels:

Standard Globe: Seedy Glass

Options: Ripple, Acid Etch, Ripple Acid Etch

(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 2 Lite Cluster (2-40 Watt Max)

Options: LED 6 watt

Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large **Standard:** 4 Lite Cluster (40-60 Watt Max)

Options: 1 Lite Edison (250 Watt Max), LED 6-12-18 watt



Made in the USA

TC3700 Series



TC3790433
Ht. 28"
Wid. 16"
Extends: 22½"
Top to Outlet: 18"
Backplate: 6½" x 14½"
Scrolls Length each side 27"

TC3800 Series Pocket Lamps



TC38915
Ht. 22½"
Wid. 15"
Extends: 7¼"
Top to Outlet: 11¼"



TC38515
Ht. 17"
Wid. 12"
Extends: 6"
Top to Outlet: 8½"



TC38315
Ht. 14½"
Wid. 10"
Extends: 4½"
Top to Outlet: 7¼"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Candelabra (40 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Candelabra (60 Watt Max)

Options: LED 6-12 watt

Large **Standard:** 2 Lite Candelabra (2- 60 Watt Max)

Options: LED 6-12-18 watt

TC3800 Series

TC3830
Ht. 17¾"
Wid. 10"



TC3831
Ht. 15½"
Wid. 10"
Overall: 27"



Small

TC383018
Ht. 24"
Wid. 10"
Extends: 11"
Top to Outlet: 16"
Backplate: 16½" x 4½"



TC3850
Ht. 20¼"
Wid. 12"



TC3851
Ht. 18"
Wid. 12"
Overall: 30"



Medium

TC385018
Ht. 27½"
Wid. 12"
Extends: 11½"
Top to Outlet: 18"
Backplate: 21¾" x 4½"



TC3890
Ht. 25½"
Wid. 15"



TC3891
Ht. 24"
Wid. 15"
Overall: 48"



Large

TC389018
Ht. 34"
Wid. 15"
Extends: 15"
Top to Outlet: 22"
Backplate: 25" x 4½"



Panels:

Standard Panels: Seedy
Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)
Options: LED 6 watt
Medium **Standard:** 1 Lite Edison (100 Watt Max)
Options: 3 Lite Cluster (3-40 Watt Max), LED 6-12 watt
Large **Standard:** 1 Lite Edison (150 Watt Max)
Options: 3 Lite Cluster (3-60 Watt Max), LED 6-12-18 watt



Made in the USA

TC4000 Series

Small



TC4030
Ht. 19"
Wid. 8¼"



TC4031
Ht. 18"
Wid. 8¼"
Overall: 30"



TC403003
Ht. 22"
Wid. 8¼"
Extends: 11½"
Top to Outlet: 12"
Backplate: 19½" x 4"



TC403006
Ht. 22"
Wid. 8¼"
Extends: 11½"
Top to Outlet: 12"
Backplate: 19½" x 4"



TC403063
Ht. 21"
Wid. 8¼"
Extends: 14½"
Top to Outlet: 17"
Backplate: 8" x 5"



TC403066
Ht. 21"
Wid. 8¼"
Extends: 14½"
Top to Outlet: 6½"
Backplate: 8" x 5"

Medium



TC4050
Ht. 24½"
Wid. 11½"



TC4051
Ht. 24½"
Wid. 11½"
Overall: 36"



TC405003
Ht. 29½"
Wid. 11½"
Extends: 16"
Top to Outlet: 13¾"
Backplate: 26" x 5"



TC405006
Ht. 29½"
Wid. 11½"
Extends: 16"
Top to Outlet: 13¾"
Backplate: 26" x 5"



TC405063
Ht. 28½"
Wid. 11½"
Extends: 16½"
Top to Outlet: 21½"
Backplate: 8" x 5"



TC405066
Ht. 28½"
Wid. 11½"
Extends: 16½"
Top to Outlet: 7"
Backplate: 8" x 5"

Panels:

Standard Globe: Seedy Glass

Options: Acid Etch

(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 3 Lite Cluster (3-40 Watt Max)
Options: LED 6 watt

Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)
Options: LED 6-12 watt

Large **Standard:** 4 Lite Cluster (4-60 Watt Max)
Options: LED 6-12-18 watt

TC4000 Series

Large



TC4090
Ht. 33"
Wid. 16"



TC4091
Ht. 33"
Wid. 16"
Overall: 57"



TC409073
Ht. 40"
Wid. 16"
Extends: 22"
Top to Outlet: 27"
Backplate: 11½" x 5"



TC409076
Ht. 40"
Wid. 16"
Extends: 22"
Top to Outlet: 13"
Backplate: 11½" x 5"



TC409093
Ht. 38"
Wid. 16"
Extends: 19"
Top to Outlet: 22"
Backplate: 31½" x 6"



TC409098
Ht. 38"
Wid. 16"
Extends: 19"
Top to Outlet: 22½"
Backplate: 31½" x 6"



Made in the USA

TC4200 Series

Small

TC4230
Ht. 15"
Wid. 7¼"



TC4231
Ht. 11½"
Wid. 7¾"
Overall: 23"



TC423035
Ht. 13½"
Wid. 7¾"
Extends: 10"
Top to Outlet: 5¾"
Backplate: 10" x 4½"



TC423038
Ht. 13½"
Wid. 7¾"
Extends: 10"
Top to Outlet: 5¾"
Backplate: 10" x 4½"



Medium

TC4250
Ht. 18½"
Wid. 10¼"



TC4251
Ht. 18½"
Wid. 10¼"
Overall: 30"



TC425035
Ht. 19½"
Wid. 10¼"
Extends: 13"
Top to Outlet: 9½"
Backplate: 13" x 5¼"



TC425038
Ht. 19½"
Wid. 10¼"
Extends: 13"
Top to Outlet: 9½"
Backplate: 13" x 5¼"



Large

TC4290
Ht. 28½"
Wid. 15"



TC4291
Ht. 28½"
Wid. 15"
Overall: 52"



TC429055
Ht. 28¾"
Wid. 15"
Extends: 19½"
Top to Outlet: 14½"
Backplate: 19" x 6¼"



TC429058
Ht. 28¾"
Wid. 15"
Extends: 19½"
Top to Outlet: 14½"
Backplate: 19" x 6¼"



Panels:

Standard Globe: Seedy Glass

Options: Ripple, Acid Etch, Ripple Acid Etch

(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 3 Lite Cluster (3-40 Watt Max)

Options: LED 6 watt

Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: LED 6-12 watt

Large **Standard:** 4 Lite Cluster (4-60 Watt Max)

Options: LED 6-12-18 watt

TC4300 Series

Small



TC4330
Ht. 17½"
Wid. 9¼"



TC4331
Ht. 17½"
Wid. 9¼"
Overall: 29"



TC433011
Ht. 20½"
Wid. 9¼"
Extends: 14"
Top to Outlet: 10½"
Backplate: 20" x 7" x 4"



TC433012
Ht. 18½"
Wid. 9¼"
Extends: 14"
Top to Outlet: 10½"
Backplate: 20" x 7" x 4"



TC433063
Ht. 18¾"
Wid. 9¼"
Extends: 15"
Top to Outlet: 12"
Backplate: 8" x 5"



TC433066
Ht. 19½"
Wid. 9¼"
Extends: 15"
Top to Outlet: 7"
Backplate: 8" x 5"

Medium



TC4350
Ht. 22"
Wid. 12½"



TC4351
Ht. 22"
Wid. 12½"
Overall: 34"



TC435051
Ht. 29"
Wid. 12½"
Extends: 19"
Top to Outlet: 15"
Backplate: 29" x 8" x 4"



TC435052
Ht. 29"
Wid. 12½"
Extends: 19"
Top to Outlet: 15"
Backplate: 29" x 8" x 4"



TC435063
Ht. 23¼"
Wid. 12½"
Extends: 16½"
Top to Outlet: 12¼"
Backplate: 8" x 5"



TC435066
Ht. 24"
Wid. 12½"
Extends: 16½"
Top to Outlet: 2"
Backplate: 8" x 5"

Panels:

Standard Globe: Seedy Glass

Options: Optic, Acid Etch

(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 3 Lite Cluster (3-40 Watt Max)

Options: LED 6 watt

Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt

Large **Standard:** 4 Lite Cluster (4-60 Watt Max)

Options: 1 Lite Edison (250 Watt Max), LED 6-12-18 watt



Made in the USA

Parisian



Outdoor Lighting Made The Way You Want It!

PE3900 Series

Small

Parisian Series



PE3930
Ht. 16"
Wid. 8½"



PE3931
Ht. 14½"
Wid. 8½"
Overall: 26"



PE393011
Ht. 20"
Wid. 8½"
Extends: 14"
Top to Outlet: 10"
Backplate: 20" x 7" x 4"



PE393012
Ht. 20"
Wid. 8½"
Extends: 14"
Top to Outlet: 10"
Backplate: 20" x 7" x 4"



PE393063
Ht. 17"
Wid. 8½"
Extends: 14"
Top to Outlet: 12"
Backplate: 8" x 5"



PE393066
Ht. 17"
Wid. 8½"
Extends: 14"
Top to Outlet: 5½"
Backplate: 8" x 5"



PE3950
Ht. 22½"
Wid. 12"



PE3951
Ht. 22½"
Wid. 12"
Overall: 34"

Medium



PE395051
Ht. 29"
Wid. 12"
Extends: 18½"
Top to Outlet: 16"
Backplate: 29" x 8" x 4"



PE395052
Ht. 29"
Wid. 12"
Extends: 18½"
Top to Outlet: 16"
Backplate: 20" x 7" x 4"



PE395063
Ht. 25½"
Wid. 12"
Extends: 16½"
Top to Outlet: 13½"
Backplate: 8" x 5"



PE395066
Ht. 25½"
Wid. 12"
Extends: 16½"
Top to Outlet: 2"
Backplate: 8" x 5"

Panels:

Standard Globe: Seedy
Options: Optic, Optic Acid Etch
(ALL GLOBES ARE MADE OF GLASS)

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)
Options: LED 6 watt
Medium **Standard:** 3 Lite Cluster (3-60 Watt Max)
Options: 1 Lite Edison (100 Watt Max), LED 6-12 watt
Large **Standard:** 4 Lite Cluster (4-60 Watt Max)
Options: 1 Lite Edison (250 Watt Max), LED 6-12-18 watt



Made in the USA

PE3900 Series

Large



PE3990
Ht. 30"
Wid. 15"



PE3991
Ht. 28½"
Wid. 15"
Overall: 52"



PE399071
Ht. 33½"
Wid. 15"
Extends: 24"
Top to Outlet: 16½"
Backplate: 33" x 8" x 4"



PE399072
Ht. 33"
Wid. 15"
Extends: 24"
Top to Outlet: 16½"
Backplate: 33" x 8" x 4"



PE399073
Ht. 32"
Wid. 15"
Extends: 23"
Top to Outlet: 18"
Backplate: 11½" x 5"



PE399076
Ht. 32"
Wid. 15"
Extends: 23"
Top to Outlet: 7½"
Backplate: 11½" x 5"

PE4400 Series Semi Flush Wall Brackets



PE44915

Ht. 25½"
Wid. Top: 11½"
Wid. Btm: 5½"
Extends: 13¼"
Top to Outlet: 14"
Backplate Ht.: 17"
Wid. Top: 8¾"
Wid. Btm: 4"



PE44515

Ht. 20½"
Wid. Top: 9½"
Wid. Btm: 4½"
Extends: 10½"
Top to Outlet: 11½"
Backplate Ht.: 13¾"
Wid. Top: 7"
Wid. Btm: 3½"



PE44315

Ht. 16"
Wid. Top: 7¼"
Wid. Btm: 3¼"
Extends: 8¼"
Top to Outlet: 8¾"
Backplate Ht.: 10¾"
Wid. Top: 5½"
Wid. Btm: 2¼"

Panels:

Standard Panels: Opal

Options: Clear, Ripple, Seedy, Pearl, Pebble

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: PL: 7-9-13, Quad 9-13; **Electronic Ballast** EBPL: 13 (4 Pin), **LED** 6 watt

Medium **Standard:** 2 Lite Cluster (2-60 Watt Max)

Options: PL: 7-9-13; **Electronic Ballast** EBPL: 13-26-32 (4 Pin), **LED** 6-12 watt

Large **Standard:** 2 Lite Cluster (2-75 Watt Max)

Options: PL: 7-9-13, Quad 9-13; **Electronic Ballast** EBPL: 13-26-32-42 (4 Pin), **LED** 6-12-18 watt

PE4500 Series Semi Flush Wall Brackets



PE45915

Ht. 27"
Wid. 11½"
Extends: 14¼"
Top to Outlet: 13¼"
Backplate:
Ht. 22½"
Wid 7½"



PE45515

Ht. 23½"
Wid. 9½"
Extends: 11½"
Top to Outlet: 11"
Backplate:
Ht. 17½"
Wid. 6"



PE45315

Ht. 17"
Wid. 7"
Extends: 9"
Top to Outlet: 8½"
Backplate:
Ht. 13½"
Wid 5¼"

Panels:

Standard Panels: Opal

Options: Clear, Ripple, Seedy, Pearl, Pebble

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: **LED** 6 watt

Medium **Standard:** 2 Lite Cluster (2-60 Watt Max)

Options: **LED** 6-12 watt

Large **Standard:** 2 Lite Cluster (2-75 Watt Max)

Options: **LED** 6-12-18 watt



Made in the USA

PE4400 Series

Small



PE4430
Ht. 19½"
Wid. Top: 7¼"
Wid. Btm: 3¼"



PE4431
Ht. 18"
Wid. Top: 7¼"
Wid. Btm: 3¼"
Overall: 30"



PE443003
Ht. 20"
Wid. Top: 7¼"
Wid. Btm: 3¼"
Extends: 10½"
Top to Outlet: 12"
Backplate: 19½" x 4"



PE443006
Ht. 21½"
Wid. Top: 7¼"
Wid. Btm: 3¼"
Extends: 10½"
Top to Outlet: 9½"
Backplate: 19½" x 4"



PE443111
Ht. 24"
Wid. Top: 7¼"
Wid. Btm: 3¼"
Extends: 9¾"
Top to Outlet: 7¼"
Backplate: 8" x 5" (w/ or w/o chain)



PE4450
Ht. 24"
Wid. Top: 9½"
Wid. Btm: 4½"



PE4451
Ht. 22"
Wid. Top: 9½"
Wid. Btm: 4½"
Overall: 34"



PE445003
Ht. 27¾"
Wid. Top: 9½"
Wid. Btm: 4½"
Extends: 14"
Top to Outlet: 15"
Backplate: 26" x 5"



PE445006
Ht. 27"
Wid. Top: 9½"
Wid. Btm: 4½"
Extends: 14"
Top to Outlet: 12½"
Backplate: 26" x 5"



PE445111
Ht. 28½"
Wid. Top: 9½"
Wid. Btm: 4½"
Extends: 12"
Top to Outlet: 9½"
Backplate: 8" x 5"
(w/ or w/o chain)

Medium

Panels:

Standard Panels: Opal

Options: Clear, Ripple, Seedy, Pearl, Pebble

Socket Options:

- | | |
|---------------|---|
| Small | Standard: 1 Lite Edison (60 Watt Max) |
| | Options: 2 Lite Cluster (2-40 Watt Max), LED 6 watt |
| Medium | Standard: 1 Lite Edison (100 Watt Max) |
| | Options: 3 Lite Cluster (3-40 Watt Max), LED 6-12 watt |
| Large | Standard: 1 Lite Edison (150 Watt Max) |
| | Options: 3 Lite Cluster (3-60 Watt Max), LED 6-12-18 watt |

PE4400 Series

Large

PE4490

Ht. 30"
Wid. Top: 11½"
Wid. Btm: 5½"



PE4491

Ht. 27½"
Wid. Top: 11½"
Wid. Btm: 5½"
Overall: 51"



PE449003

Ht. 34"
Wid. Top: 11½"
Wid. Btm: 5½"
Extends: 17½"
Top to Outlet: 17¼"
Backplate: 31½" x 6"



PE449006

Ht. 33"
Wid. Top: 11½"
Wid. Btm: 5½"
Extends: 17¼"
Top to Outlet: 17"
Backplate: 31½" x 6"



PE449111

Ht. 36¾"
Wid. Top: 11½"
Wid. Btm: 5½"
Extends: 16"
Top to Outlet: 13"
Backplate: 14½" x 6½"
(w/ or w/o chain)



Made in the USA

PE4500 Series

Small



PE4530
Ht. 19½"
Wid. 7"



PE4531
Ht. 18½"
Wid. 7"
Overall: 30"



PE453041
Ht. 24½"
Wid. 7"
Extends: 10"
Top to Outlet: 4½"
Backplate: 7½" x 5¼"
(w/ or w/o chain)



PE453044
Ht. 18"
Wid. 7"
Extends: 9½"
Top to Outlet: 4½"
Backplate: 7½" x 5¼"



PE453047
Ht. 18"
Wid. 7"
Extends: 9½"
Top to Outlet: 13½"
Backplate: 7½" x 5¼"



PE4550
Ht. 25"
Wid. 9½"



PE4551
Ht. 23½"
Wid. 9½"
Overall: 35"

Medium



PE455041
Ht. 27¼"
Wid. 9½"
Extends: 12"
Top to Outlet: 4½"
Backplate: 7½" x 5¼"
(w/ or w/o chain)



PE455044
Ht. 25½"
Wid. 9½"
Extends: 11"
Top to Outlet: 4½"
Backplate: 7½" x 5¼"



PE455047
Ht. 25½"
Wid. 9½"
Extends: 11"
Top to Outlet: 21"
Backplate: 7½" x 5¼"

Panels:

Standard Panels: Opal

Options: Clear, Ripple, Seedy, Pearl, Pebble

Socket Options:

Small	Standard: 1 Lite Edison (60 Watt Max)
	Options: 2 Lite Cluster (2-40 Watt Max), LED 6 watt
Medium	Standard: 1 Lite Edison (100 Watt Max)
	Options: 3 Lite Cluster (3-40 Watt Max), LED 6-12 watt
Large	Standard: 1 Lite Edison (150 Watt Max)
	Options: 4 Lite Cluster (4-40 Watt Max), LED 6-12-18 watt



PE4590
Ht. 31"
Wid. 11½"



PE4591
Ht. 28½"
Wid. 11½"
Overall: 52"



Made in the USA

PE4600 Series

Medium

PE4650
Ht. 21"
Wid. 10"



PE4651
Ht. 16"
Wid. 10"
Overall: 28"



PE465013
Ht. 20"
Wid. 10"
Extends: 12"
Top to Outlet: 12"
Backplate: 11½" x 4¼"



PE465018
Ht. 18"
Wid. 10"
Extends: 12"
Top to Outlet: 10"
Backplate: 11½" x 4¼"



PE465063
Ht. 21"
Wid. 10"
Extends: 15½"
Top to Outlet: 15"
Backplate: 8" x 5"



PE465066
Ht. 17½"
Wid. 10"
Extends: 15"
Top to Outlet: 7"
Backplate: 8" x 5"



Large

PE4670
Ht. 27"
Wid. 13½"



PE4671
Ht. 22"
Wid. 13½"
Overall: 46"



PE467043
Ht. 29"
Wid. 13½"
Extends: 16½"
Top to Outlet: 14"
Backplate: 14½" x 6½"



PE467048
Ht. 23"
Wid. 13½"
Extends: 16½"
Top to Outlet: 13"
Backplate: 14½" x 6½"



PE467063
Ht. 27"
Wid. 13½"
Extends: 17½"
Top to Outlet: 19"
Backplate: 11½" x 5"



PE467066
Ht. 22"
Wid. 13½"
Extends: 17½"
Top to Outlet: 3"
Backplate: 11½" x 5"



Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Beveled Glass, Pearl, Pebble

Socket Options:

Medium **Standard:** 1 Lite Edison (100 Watt Max)

Options: 2 Lite Cluster (2-60 Watt Max), LED 6-12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max)

Options: 3 Lite Cluster (3-60 Watt Max), LED 6-12-18 watt

Lone Star Series

American Series

Small



LS1220
Ht. 10½"
Wid. 6"
Extends: 7½"
Top to Outlet: 8¼"
Backplate: 4¼" x 4¼"
(1-60 Watt)



TS1220
Ht. 10½"
Wid. 6"
Extends: 7½"
Top to Outlet: 8¼"
Backplate: 4¼" x 4¼"
(1-60 Watt)



LS1734
Ht. 16"
Wid. 6"
Extends: 6½"
Top to Outlet: 10¼"
Backplate: 4½"



LS1736
Ht. 15½"
Wid. 6"
Extends: 8"
Top to Outlet: 6½"
Backplate: 6½" x 4¼"



LS1739
Ht. 10¼"
Wid. 6"
Extends: 7"
Top to Outlet: 8"
Backplate: 4½"

Ceiling Mounts



LS53
Ht. 5½"
Wid. 8"
(Lone Star Front & Back)
(2-40 Watt)



LS63
Ht. 5½"
Wid. 8"
(Lone Star Front & Back)
(2-40 Watt)



TS53
Ht. 5½"
Wid. 8"
(State Front & Back)
(2-40 Watt)



TS63
Ht. 5½"
Wid. 8"
(State Front & Back)
(2-40 Watt)

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl & Beveled Glass

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 2 Lite Cluster (2-40 Watt Max), LED 6-12 watt

Large **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (150 Watt Max), LED 6-12-18 watt

130



Made in the USA

Lone Star Series

Medium



LS1770
Ht. 19"
Wid. 8½"
(Lone Star Front & Back)



LS1771
Ht. 17"
Wid. 8½"
Overall: 29"
(Lone Star Front & Back)



LS1774
Ht. 24"
Wid. 8½"
Extends: 9½"
Top to Outlet: 13"
Back plate: 6½" x 4¼"



LS1776
Ht. 20"
Wid. 8½"
Extends: 9½"
Top to Outlet: 5"
Back plate: 6½" x 4¼"



LS1779
Ht. 20"
Wid. 8½"
Extends: 9½"
Top to Outlet: 13"
Back plate: 6½" x 4¼"



LS177063
Ht. 20"
Wid. 8½"
Extends: 13"
Top to Outlet: 12"
Backplate: 8" x 5"



LS177066
Ht. 18"
Wid. 8½"
Extends: 12"
Top to Outlet: 8"
Backplate: 8" x 5"



LS1790
Ht. 27"
Wid. 11½"
(Lone Star Front & Back)



LS1791
Ht. 26½"
Wid. 11½"
Overall: 54"
(Lone Star Front & Back)



LS1794
Ht. 35½"
Wid. 11½"
Extends: 12¼"
Top to Outlet: 22"
Backplate: 6½" x 4¼"



LS1796
Ht. 26½"
Wid. 11½"
Extends: 12½"
Top to Outlet: 6"
Backplate: 6½" x 4¼"



LS1799
Ht. 25"
Wid. 11½"
Extends: 12½"
Top to Outlet: 21"
Backplate: 6½" x 4¼"



LS179063
Ht. 31"
Wid. 11½"
Extends: 15"
Top to Outlet: 16"
Backplate: 11½" x 5"



LS179066
Ht. 29½"
Wid. 11½"
Extends: 15"
Top to Outlet: 5½"
Backplate: 11½" x 5"

Dolphin Series

Small

DL1734
Ht. 17"
Wid. 6"
Extends: 6½"
Top to Outlet: 11¼"
Backplate: 4½"



DL1736
Ht. 16½"
Wid. 6"
Extends: 8"
Top to Outlet: 6½"
Backplate: 6½" x 4¼"



DL1739
Ht. 11¼"
Wid. 6"
Extends: 7"
Top to Outlet: 8¼"
Backplate: 4½"



DL1220
Ht. 10½"
Wid. 6"
Extends: 7½"
Top to Outlet: 9¼"
Backplate: 4¼" x 4¼"

Ceiling Mounts



DL53
Ht. 5½"
Wid. 8"
(Dolphin Front & Back)
(2-40 Watt)



DL63
Ht. 5½"
Wid. 8"
(Dolphin Front & Back)
(2-40 Watt)

Panels:

Standard Panels: Ripple

Options: Clear, Seedy, Opal, Pebble, Pearl & Beveled Glass

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 2 Lite Cluster (2-40 Watt Max), LED 6-12 watt

Large **Standard:** 3 Lite Cluster (3-60 Watt Max)

Options: 1 Lite Edison (150 Watt Max), LED 6-12-18 watt





DL1770
Ht. 20"
Wid. 8½"
(Dolphin Front & Back)



DL1771
Ht. 18"
Wid. 8½"
Overall: 30"
(Dolphin Front & Back)



DL1774
Ht. 25"
Wid. 8½"
Extends: 9½"
Top to Outlet: 13"
Back plate: 6½" x 4¼"



DL1776
Ht. 21"
Wid. 8½"
Extends: 9½"
Top to Outlet: 5"
Back plate: 6½" x 4¼"



DL1779
Ht. 21"
Wid. 8½"
Extends: 9½"
Top to Outlet: 13"
Back plate: 6½" x 4¼"



DL177063
Ht. 21"
Wid. 8½"
Extends: 13"
Top to Outlet: 12"
Backplate: 8" x 5"



DL177066
Ht. 18"
Wid. 8½"
Extends: 12"
Top to Outlet: 8"
Backplate: 8" x 5"



DL1790
Ht. 27"
Wid. 11½"
(Dolphin Front & Back)



DL1791
Ht. 21½"
Wid. 11½"
Overall: 45"
(Dolphin Front & Back)



DL1794
Ht. 35½"
Wid. 11½"
Extends: 12¼"
Top to Outlet: 22"
Backplate: 6½" x 4¼"



DL1796
Ht. 22½"
Wid. 11½"
Extends: 12½"
Top to Outlet: 6"
Backplate: 6½" x 4¼"



DL1799
Ht. 25"
Wid. 11½"
Extends: 12½"
Top to Outlet: 21"
Backplate: 6½" x 4¼"



DL179063
Ht. 31"
Wid. 11½"
Extends: 15"
Top to Outlet: 16"
Backplate: 11½" x 5"



DL179066
Ht. 24½"
Wid. 11½"
Extends: 15"
Top to Outlet: 5½"
Backplate: 11½" x 5"

Palm Tree Series

Small



PT2930
Ht. 18½"
Wid. 6¾"
(Palm Tree Front & Back)



PT2931
Ht. 12"
Wid. 6¾"
Overall: 24"
(Palm Tree Front & Back)

PT2934
Ht. 23"
Wid. 6¾"
Extends: 9¾"
Top to Outlet: 13"
Back plate: 6½" x 4¼"



PT2936
Ht. 13¾"
Wid. 6¾"
Extends: 9¼"
Top to Outlet: 5½"
Back plate: 6½" x 4¼"



PT1220
Ht. 12"
Wid. 6"
Extends: 7½"
Top to Outlet: 9½"
Backplate: 4¼" x 4¼"



PT2939
Ht. 19"
Wid. 6¾"
Extends: 9¼"
Top to Outlet: 13"
Back plate: 6½" x 4¼"



PT29304
Ht. 16½"
Wid. 6¾"
Extends: 10"
Top to Outlet: 9"
Back plate: 8" x 5"



Ceiling Mounts



PT53
Ht. 5½"
Wid. 8"
(Palm Tree Front & Back)
(2-40 Watt)



PT63
Ht. 5½"
Wid. 8"
(Palm Tree Front & Back)
(2-40 Watt)



PT29307
Ht. 17½"
Wid. 6¾"
Extends: 10"
Top to Outlet: 13½"
Back plate: 8" x 5"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Options: LED 6 watt

Medium **Standard:** 1 Lite Edison (100 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6-12 watt

Large **Standard:** 1 Lite Edison (150 Watt Max);

Options: 3 Lite Cluster (3-60 Watt Max), LED 6-12-18 watt



Made in the USA

Palm Tree Series

Medium



PT2950
Ht. 25"
Wid. 9"
(Palm Tree Front & Back)



PT2951
Ht. 15"
Wid. 9"
Overall: 27"
(Palm Tree Front & Back)



PT2954
Ht. 32"
Wid. 9"
Extends: 12½"
Top to Outlet: 16"
Back plate: 6½" x 4¼"



PT2956
Ht. 21"
Wid. 9"
Extends: 12½"
Top to Outlet: 7"
Back plate: 6½" x 4¼"



PT2959
Ht. 24"
Wid. 9"
Extends: 12½"
Top to Outlet: 16"
Back plate: 6½" x 4¼"



PT29504
Ht. 21"
Wid. 9"
Extends: 13½"
Top to Outlet: 12"
Backplate: 8" x 5"



PT29507
Ht. 28"
Wid. 9"
Extends: 12½"
Top to Outlet: 17"
Backplate: 8" x 5"



PT2990
Ht. 30"
Wid. 11½"
(Palm Tree Front & Back)



PT2991
Ht. 22½"
Wid. 11½"
Overall: 46"
(Palm Tree Front & Back)



PT2994
Ht. 44½"
Wid. 11½"
Extends: 14½"
Top to Outlet: 22"
Backplate: 26½" x 6"



PT2996
Ht. 29½"
Wid. 11½"
Extends: 14½"
Top to Outlet: 12"
Backplate: 26½" x 6"



PT2999
Ht. 34"
Wid. 11½"
Extends: 14½"
Top to Outlet: 22"
Backplate: 26½" x 6"



PT29904
Ht. 31"
Wid. 11½"
Extends: 12¾"
Top to Outlet: 9"
Backplate: 11½" x 5"



PT29907
Ht. 36½"
Wid. 11½"
Extends: 12¾"
Top to Outlet: 28½"
Backplate: 11½" x 5"

Fleur-de-lis Series

Medium



FL1770
Ht. 18"
Wid. 8½"
(Fleur-de-lis Front & Back)



FL1771
Ht. 16"
Wid. 8½"
Overall: 28"
(Fleur-de-lis Front & Back)



FL1774
Ht. 23"
Wid. 8½"
Extends: 9½"
Top to Outlet: 12"
Back plate: 6½" x 4¼"



FL1776
Ht. 19"
Wid. 8½"
Extends: 9½"
Top to Outlet: 4"
Back plate: 6½" x 4¼"



FL1779
Ht. 19"
Wid. 8½"
Extends: 9½"
Top to Outlet: 12"
Backplate: 6½" x 4¼"



FL177063
Ht. 19"
Wid. 8½"
Extends: 13"
Top to Outlet: 11"
Backplate: 8" x 5"



FL177066
Ht. 17"
Wid. 8½"
Extends: 12"
Top to Outlet: 8"
Backplate: 8" x 5"

Panels:

Standard Panels: Seedy

Options: Clear, Ripple, Opal, Pebble, Pearl & Beveled Glass

Socket Options:

Medium **Standard:** 1 Lite Edison (100 Watt Max);
Options: 2 Lite Cluster (2-40 Watt Max), **LED** 6-12 watt

Large **Standard:** 3 Lite Cluster (3-60 Watt Max)
Options: 1 Lite Edison (150 Watt Max), **LED** 6-12-18 watt



Made in the USA

Fleur-de-lis Series

Large



FL1790
Ht. 25"
Wid. 11½"
(Fleur-de-lis Front & Back)



FL1791
Ht. 24½"
Wid. 11½"
Overall: 48"
(Fleur-de-lis Front & Back)



FL1794
Ht. 33½"
Wid. 11½"
Extends: 12½"
Top to Outlet: 20"
Backplate: 6½" x 4¼"



FL1796
Ht. 24½"
Wid. 11½"
Extends: 12½"
Top to Outlet: 4"
Backplate: 6½" x 4¼"



FL1799
Ht. 23"
Wid. 11½"
Extends: 12½"
Top to Outlet: 19"
Backplate: 6½" x 4¼"



FL179063
Ht. 29"
Wid. 11½"
Extends: 15"
Top to Outlet: 14"
Backplate: 11½" x 5"



FL179066
Ht. 27½"
Wid. 11½"
Extends: 15"
Top to Outlet: 5½"
Backplate: 11½" x 5"

Garden Lighting

Coordinate your Home Fixtures with our Garden Lighting too!



GS3
Ht.: 7"
Wid: 5½"
Collar: ½"
(Not Available in LED)



GS4
Ht.: 8"
Wid: 5½"
Collar: ½"
(Not Available in LED)



GL3
Ht.: 7"
Wid: 10"
Collar: ½"
(Not Available in LED)



GL4
Ht.: 8"
Wid: 10"
Collar: ½"
(Not Available in LED)



GS3 w/3" fitter
Ht.: 7"
Wid: 5½"
Collar: 3"
(Not Available in LED)



GS4 w/3" fitter
Ht.: 8"
Wid: 5½"
Collar: 3"
(Not Available in LED)



GL3 w/3" fitter
Ht.: 7"
Wid: 10"
Collar: 3"
(Not Available in LED)



GL4 w/3" fitter
Ht.: 8"
Wid: 10"
Collar: 3"
(Not Available in LED)



G3430
Ht.: 15"
Wid: 8½"
Collar: ½"



G3530
Ht.: 15"
Wid: 8½"
Collar: ½"



G3630
Ht.: 15"
Wid: 8½"
Collar: ½"



GJ350
Ht.: 10"
Wid: 11"
Collar: ½"
(Pipe Sold Separately)



G630
Ht.: 19"
Wid: 6"
Collar: ½"



G1230
Ht.: 16"
Wid: 7½"
Collar: ½"



G1630
Ht.: 13½"
Wid: 8"
Collar: ½"

Panels:

Specify Panels:

Seedy, Clear, Ripple, Opal, Pebble, Pearl

Note:

G3430, G3530 & G3630 Only Available in Glass Seedy, Ripple, Acid Etch, Ripple Acid Etch

Socket Options:

Small **Standard:** 1 Lite Edison (60 Watt Max)

Stem Options:

Lengths: 6", 12", 18" & 24" (Pipes sold separately)

Color Options:

Available in all 57 Melissa Colors



Made in the USA

Garden Lighting

Coordinate your Home Fixtures with our Garden Lighting too!



G1830
Ht.: 14½"
Wid: 6"
Collar: ½"



G2030
Ht.: 17½"
Wid: 6½"
Collar: ½"



G2130
Ht.: 12"
Wid: 6"
Collar: ½"



G2330
Ht.: 13½"
Wid: 6"
Collar: ½"



G2430
Ht.: 14"
Wid: 7½"
Collar: ½"



G2530
Ht.: 16"
Wid: 7½"
Collar: ½"



G2630
Ht.: 14"
Wid: 9½"
Collar: ½"



G2730
Ht.: 16½"
Wid: 6¼"
Collar: ½"



G2930
Ht.: 16½"
Wid: 6¼"
Collar: ½"



G3230
Ht.: 14"
Wid: 9½"
Collar: ½"



G3330
Ht.: 16½"
Wid: 7½"
Collar: ½"



G3830
Ht.: 16"
Wid: 10"
Collar: ½"

Garden Light Accessories



Pipes
Ht.: 6", 12", 18" & 24"
Pipe Thread: ½" both ends



LV-1000
Cast Aluminum Spike
Ht.: 6½"
Pipe Thread: ½"



LV-200
Single Contact Bayonet Socket
(Included when ordering Low Voltage)

Commercial Lighting

Post Heads

H601



H48B1SR



HTM4392



Fixture #	Description	Color	Panel & Globe Options	Ht.	Wid.	Collar	LED
H601	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	43½"	18½"	3"	57W
HTM4392	Post Head & Ballast Box	All Colors	Prismatic Polycarbonate Crackle	40"	19"	3"	57W
H48B1SR	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	44½"	17"	3"	57W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.
For Cut Sheets scan QR Code on Page 159

• Ballast wattage is maximum (lower maybe used)
 • Order Ballast separately.

Custom Work Done Upon Request



Made in the USA

Post Heads

Refractors

5GR5

5" Medium Base Type V

5GR6

6" Mogul Base Type V

3GR6

6" Mogul Base Type III



H1290BLH



H8000B1SR



H3090BLH



H1790B4ST

Fixture #	Description	Color	Panel & Globe Options	Ht.	Wid.	Collar	LED
H1290BLH	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	35"	14½"	3"	57W
H8000B1SR	Post Head & Ballast Box	All Colors	Slate	32½"	12"	3"	57W
H3090BLH	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	30"	16"	3"	57W
H1790B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	27½"	11½"	3"	57W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

For Cut Sheets scan QR Code on Page 159

• Ballast wattage is maximum (lower maybe used)
• Order Ballast separately.

How to Order Post Head: • Fixture • Color • Lens Type • Ballast Type
H1790B4ST / Blk / Sdy / IHP50

Post Heads



H1490B4ST



HTC4350B1SR



HTC3890BLH

Fixture #	Description	Color	Panel & Globe Options	Ht.	Wid.	Collar	LED
H1490B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	33½"	16"	3"	57W
HTC4350B1SR	Post Head & Ballast Box	All Colors	Seedy, Optic, Acid Etch, Optic Acid Etch	29"	12½"	3"	30W
HTC3890BLH	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	33"	15"	3"	57W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

For Cut Sheets scan QR Code on Page 159

• Ballast wattage is maximum (lower maybe used)
 • Order Ballast separately.



Made in the USA

Post Heads



Fixture #	Description	Color	Panel & Globe Options	Ht.	Wid.	Collar	LED
H5050B4SS	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	25½"	8¾"	3"	57W
H5000B4LS	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	29½"	10¾"	3"	57W
H650B4SS	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	25½"	8½"	3"	57W
H690B4LS	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	28"	10½"	3"	57W
HTC4090B1SR	Post Head & Ballast Box	All Colors	Seedy, Acid Etch	42½"	16"	3"	57W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

• Ballast wattage is maximum (lower maybe used)
• Order Ballast separately.

For Cut Sheets scan QR Code on Page 159

Post Heads



FO (Finial Option)

Fixture #	Description	Color	Globes	Ht.	Wid.	Collar	Neck	LED
HTM21	Post Head & Ballast Box	All Colors	Polycarbonate	31"	14"	3"	8"	57W
HTM24	Post Head & Ballast Box	All Colors	Polycarbonate	35"	16½"	3"	8"	57W
HTM25-RV	Post Head & Ballast Box	All Colors	Polycarbonate	36"	16"	3"	8"	57W
HTM25-R3	Post Head & Ballast Box	All Colors	Polycarbonate	36"	16"	3"	8"	57W
FO Finial	Finial	All Colors	•	5"	•	•	•	•

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

For Cut Sheets scan QR Code on Page 159

• Ballast wattage is maximum (lower maybe used)
• Order Ballast separately.



Made in the USA

Post Heads



H1970B1SR



HPE3990B1



HPE3950



HTM18

Fixture #	Description	Color	Panel & Globe Options	Ht.	Wid.	Collar	LED
H1970B1SR	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	35"	11"	3"	57W
HPE3950B1SR	Post Head & Ballast Box	All Colors	Seedy, Optic, Acid Etch, Optic Acid Etch	29½"	12"	3"	30W
HPE3990B1SR	Post Head & Ballast Box	All Colors	Seedy, Optic, Acid Etch, Optic Acid Etch	37½"	15"	3"	57W
HTM18	Post Head & Ballast Box	All Colors	Polycarbonate	29"	13"	3"	57W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

For Cut Sheets scan QR Code on Page 159

• Ballast wattage is maximum (lower maybe used)
• Order Ballast separately.

Post Heads



HTC3490B1SR



HTC3590B1SR



HTC3690B1SR



HTC3450B1SR



HTC3550B1SR



HTC3650B1SR

Fixture #	Description	Color	Globe Options	Ht.	Wid.	Collar	LED
HTC3490B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	37½"	16½"	3"	57W
HTC3590B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	37½"	16½"	3"	57W
HTC3690B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	37½"	16½"	3"	57W
HTC3450B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	30"	11½"	3"	30W
HTC3550B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	30"	11½"	3"	30W
HTC3650B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	30"	11½"	3"	30W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

For Cut Sheets scan QR Code on Page 159

• Ballast wattage is maximum (lower maybe used)
• Order Ballast separately.



Made in the USA

Post Heads



H2690B4ST



H2790B4ST



H2090B4ST



H3290B4ST



H2990B4ST



H2390B4ST

Fixture #	Description	Color	Panel Options	Ht.	Wid.	Collar	LED
H2690B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	26"	16½"	3"	57W
H2790B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	30½"	11½"	3"	57W
H2090B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	31½"	10½"	3"	57W
H3290B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	26"	16½"	3"	57W
H2990B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	30½"	11½"	3"	57W
H2390B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	22½"	10½"	3"	30W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

• Ballast wattage is maximum (lower maybe used)
• Order Ballast separately.

For Cut Sheets scan QR Code on Page 159

Post Heads



H2590BLH



H3390BLH



H1590BLH



HLS1790B4ST



HTC4290B1SR



HTC3790B1SR

Fixture #	Description	Color	Panel & Globe Options	Ht.	Wid.	Collar	LED
H2590BLH	Post Head & Ballast Box	All Colors	Seedy, Pearl Opal, Ripple, Pebbled, Prismatic	31½"	14"	3"	57W
H3390BLH	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	32½"	14"	3"	57W
H1590BLH	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	36½"	14½"	3"	57W
HLS1790B4ST	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	27½"	11½"	3"	57W
HTC4290B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	37"	15"	3"	57W
HTC3790B1SR	Post Head & Ballast Box	All Colors	Seedy, Ripple, Acid Etch, Ripple Acid Etch	37½"	16"	3"	57W

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

For Cut Sheets scan QR Code on Page 159

• Ballast wattage is maximum (lower maybe used)
• Order Ballast separately.



Made in the USA

Post Heads

Wall Brackets



HPE4490B1S



HPE44915



HPE4590



HPE45915

Fixture #	Description	Color	Panel Options	Ht.	Wid.	Collar	LED
HPE4490B1SR	Post Head & Ballast Box	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	38"	11½"	3"	57W
HPE4590	Post Head	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	31"	11½"	3"	57W
HPE44915	Wall Bracket	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	See Below		3"	57W
	Ht.: 25½" Wid. Top: 11½" Wid. Btm: 5½" Extends: 13¼" Top to Outlet: 14" Backplate Ht.: 17" Wid. Top: 8¾" Wid. Btm: 4"						
HPE45915	Wall Bracket	All Colors	Seedy, Pearl, Opal, Ripple, Pebbled, Prismatic	See Below		3"	57W
	Ht.: 27" Wid.: 11½" Extends: 14¼" Top to Outlet: 13¼" Backplate: 22½" x 7½"						

• Blackout or Reflector Panels available with some styles.
Contact Factory for availability.

For Cut Sheets scan QR Code on Page 159

•Ballast wattage is maximum (lower maybe used)
•Order Ballast separately.

Wall Brackets



Arm Assembly	Description	Color	Ht.	Wth.	Extends to Center of Collar	Back Plate Size
HW-053	Arm for Post Head 3"	All Colors	30"	6½"	16"	30" x 6"
HW-033	Arm for Post Head 3"	All Colors	25"	5"	14"	25" x 5"
HW-073	Arm for Post Head 3"	All Colors	16"	4½"	17½"	11" x 4½"
HW-019	Arm for Post Head 3"	All Colors	12"	5"	20"	10" x 4½"

- Ballast wattage is maximum (lower maybe used)
- Order Ballast separately.

For Cut Sheets scan QR Code on Page 159

How to Order Fixture & Wall Bracket: • Fixture • Color • Lens
Type • Ballast Type • Wall Bracket
HPE3950B1SR / Blk / Acd Etch / IMH150 / HW-033



Made in the USA

Wall Brackets

3"OD .125 Wall Poles



Arm Assembly	Description	Color	Ht.	Wth.	Extends to Cntr. of Collar	Back Plate Size
HW-094	Arm for Post Head 3"	All Colors	34"	6"	21½"	26½" x 6"
HW-099	Arm for Post Head 3"	All Colors	26½"	8"	21½"	26½" x 6"

- Ballast wattage is maximum (lower maybe used)
- Order Ballast separately.

For Cut Sheets scan QR Code on Page 159



Standard B

Standard C

Standard D

Dimensions	Standard B				Standard C				Standard D			
Heights	8'	10'	12'	14'	8'	10'	12'	14'	8'	10'	12'	14'
Pole Fitter	3"				3"				3"			
Base Height	33"				33"				26"			
Base Width	12"				10¼"				12"			
Wall Thickness	.125				.125				.125			
Access Door	Yes				Yes				Yes			
Colors	All				All				All			
Sugg. Bury Depth	-	-	-	-	-	-	-	-	-	-	-	-
Sugg. Concrete Footing Size	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W	16"W 16"W 24"W 24"W
	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D	24"D 24"D 36"D 36"D

All Melissa Lighting Poles have an EPA rating of 1.0 Wind Load Factor for 140 MPH.

How to Order Standards: • Standard Base Type • Height • Color

3"OD .125 Wall Poles



Standard E

Standard F

Standard G

Standard H

2P

2P-4P

DBP

Dimensions	Standard E				Standard F				Standard G				Standard H				2P	2P-4P	DBP			
Heights	8'	10'	12'	14'	8'	10'	12'	14'	8'	10'	12'	14'	8'	10'	12'	14'	6' Only	8' Only	8'	10'	12'	14'
Pole Fitter	3"				3"				3"				3"				3"	3"	3"			
Base Height	13½"				7½"				29½"				29½"				-	-	-	-	-	-
Base Width	10¼"				12"				11¼"				12"				7½"	13"	-	-	-	-
Wall Thickness	.125				.125				.125				.125				-	-	-	-	-	-
Access Door	Yes				Yes				Yes				Yes				No	Yes (2 Piece Pole)	No			
Colors	All				All				All				All				All	All	All			
Sugg. Bury Depth	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2'			
Sugg. Concrete Footing Size	16"W 16"W 24"W 24"W 24"D 24"D 36"D 36"D				16"W 16"W 24"W 24"W 24"D 24"D 36"D 36"D				18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D				18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D				12"W 16"D	16"W 24"D	NA			

All Melissa Lighting Poles have an EPA rating of 1.0 Wind load Factor for 140 MPH

For Cut Sheets scan QR Code on Page 159



Made in the USA

3"OD .250 Heavy Wall Poles



DBP2 Standard B2 Standard C2 Standard D2 Standard E2 Standard F2 Standard G2 Standard H2

Dimensions	DBP2	Standard B2	Standard C2	Standard D2	Standard E2	Standard F2	Standard G2	Standard H2
Heights	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'
Pole Fitter	3"	3"	3"	3"	3"	3"	3"	3"
Base Height	- - - -	33"	33"	26"	13½"	7½"	29½"	29½"
Base Width	- - - -	12"	10¼"	12"	10¼"	12"	11¼"	12"
Wall Thickness	.250	.250	.250	.250	.250	.250	.250	.250
Access Door	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Colors	All	All	All	All	All	All	All	All
Sugg. Bury Depth	2½'	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Sugg. Concrete Footing Size	NA	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D

All Melissa Lighting Poles have an EPA rating of 1.0 Wind load Factor for 140 MPH

For Cut Sheets scan QR Code on Page

4"OD .125 Wall Poles



DBP4 Standard 4B Standard 4C Standard 4D Standard 4E Standard 4F Standard 4G Standard 4H

Dimensions	DBP4	Standard 4B	Standard 4C	Standard 4D	Standard 4E	Standard 4F	Standard 4G	Standard 4H
Heights	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'
Pole Fitter	3"	3"	3"	3"	3"	3"	3"	3"
Base Height	- - - -	33"	33"	26"	13½"	7½"	29½"	29½"
Base Width	- - - -	12"	10¼"	12"	10¼"	12"	11¼"	12"
Wall Thickness	.125	.125	.125	.125	.125	.125	.125	.125
Access Door	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Colors	All	All	All	All	All	All	All	All
Sugg. Bury Depth	2½'	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Sugg. Concrete Footing Size	NA	16"W 16"W 24"W 24"W 24"D 24"D 36"D 36"D	16"W 16"W 24"W 24"W 24"D 24"D 36"D 36"D	16"W 16"W 24"W 24"W 24"D 24"D 36"D 36"D	16"W 16"W 24"W 24"W 24"D 24"D 36"D 36"D	16"W 16"W 24"W 24"W 24"D 24"D 36"D 36"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D

All Melissa Lighting Poles have an EPA rating of 1.0 Wind load Factor for 140 MPH



Made in the USA

4"OD .250 Heavy Wall Poles



HL200- 4" to 3" reducer supplied with all 4" OD poles

DBP42 Standard 4B2 Standard 4C2 Standard 4D2 Standard 4E2 Standard 4F2 Standard 4G2 Standard 4H2

Dimensions	DBP 42	Standard 4B2	Standard 4C2	Standard 4D2	Standard 4E2	Standard 4F2	Standard 4G2	Standard 4H2
Heights	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'	8' 10' 12' 14'
Pole Fitter	3"	3"	3"	3"	3"	3"	3"	3"
Base Height	- - - -	33"	33"	26"	13½"	7½"	29½"	29½"
Base Width	- - - -	12"	10¼"	12"	10¼"	12"	11¼"	12"
Wall Thickness	.250	.250	.250	.250	.250	.250	.250	.250
Access Door	No	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Colors	All	All	All	All	All	All	All	All
Sugg. Bury Depth	2½'	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -	- - - -
Sugg. Concrete Footing Size	NA	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D	18"W 18"W 30"W 30"W 30"D 30"D 40"D 40"D

All Melissa Lighting Poles have an EPA rating of 1.0 Wind load Factor for 140 MPH

For Cut Sheets scan QR Code on Page 159



Post Mounting



Arm Assembly	Description	Color	Ht.	Wth.	Extends to Center of Collar
H1-019	Single Arm and Hub Assembly	All Colors	16½"	24"	22"
H2-019	Double Arm and Hub Assembly	All Colors	16½"	45"	39"
H4-019	Four Arm and Hub Assembly	All Colors	16½"	45"	39"

- Ballast wattage is maximum (lower maybe used)
- Order Ballast separately.

Note: Post for H4-019 must use Heavy Wall Poles (.250 Wall Thickness)

For Cut Sheets scan QR Code on Page 159



Made in the USA

Post Mounting

M2-019



M1-019



M4-019



Arm Assembly	Description	Color	Ht.	Wth.	Extends to Center of Collar
M1-019	Single Arm and Hub Assembly	All Colors	19"	21½"	17"
M2-019	Double Arm and Hub Assembly	All Colors	19"	38½"	32"
M4-019	Four Arm and Hub Assembly	All Colors	19"	38½"	32"

- Ballast wattage is maximum (lower may be used)
- Order Ballast separately.

Note: Post for M4-019 must use Heavy Wall Poles (.250 Wall Thickness)

For Cut Sheets scan QR Code on Page 159

LED

57 Watt LED



Vertical FlexMount

57 watt LED Specifications:

- Lumens 8820
- Aluminum core circuit board
- Cast aluminum heat sink
- Approximately 50,000 hours of operational life
- Operating temperature range -40 °C to +50 °C
- 154 watts energy use (<50% of comparable HID)
- 144 LED's
- 80+ color rendering index (CRI)
- 5000K color temperature
- 5 year limited warranty
- 120-277V
- ETL Certification

LSP4-UNV Surge Protector:

Surge Protection is required when using all LED's

LSP4-UNV surge protector provides single phase protection for line/neutral in accordance with IEEE C62.41 Category C Low Exposure. The unit was designed to meet new design requirements for luminaires using LED light engines. The LSP4-UNV offers protection for LED luminaires in a small and convenient flat form factor. Also protects Electronic Fluorescent & HID ballasts as well as all other electronic products.



Scan for Cut Sheets



Made in the USA

Index

Item	Page	Item	Page	Item	Page	Item	Page
KISS		K600	59	1400	76-77	Fleur-de-lis Series	136-137
K100	24	K700	34	1500	78-79-80	PARISIAN	
K1000	61	K800	36	1600	81	PE3900	122-123
K1100	38	K900	60	1700	82-83	PE4400	124-125-126
K1300	40	JA Series	3-15-46	1800	84-85	PE4500	124-127-128
K155016	68	U005/U0010	48	2000	86-87	PE4600	129
K155029	68	U008	50	2100	88-89	TUSCANY	
K157016	68	U070/U090	52	2300	90-91	TC3400	108-109
K1600	62	U1210 / U1220	7	2400	92-93	TC3500	110-111
K1700	60	U30 / U50	5	2500	94-95	TC3600	112-113
K1800	63	U300	54	2600	96	TC3700	114-115
K187016	67	U400	55	2700	97-98	TC3800	115-116
K200	26	U2900	44	2900	99-100	TC4000	117-118
K2100	64	U4004	58	3000	101	TC4200	119
K217016	67	U4300	9	3200	102	TC4300	120
K2200	42	U6100	11	3300	103-104	GL SERIES	22
K2400	65	U7000	57	1X-2X-3X	105	GARDEN LIGHTING	
K247016	67	U810	17	Pier Mounts	106		138-139
K2800	19	U8100	21	Residential Poles	106	COMMERCIAL	
K2N	60	U9100	13	Scrolls	106	Commercial Heads	140-149
K300	28	Ceiling Mounts	66	AMERICANA		Commercial Wall Brackets	150-151
K375029	67	AVANTI		Lone Star	130-131	Commercial Poles	151-155
K400	30	600	70-71-72	Dolphin	132-133	Commercial Post Mounts	156-157
K500	32	1200	73-74-75	Palm Tree	134-135	57w LED	158

39 Hand Painted Finishes

Product Finishes & Panel Types w/Abbreviations

Finish	Abbreviation	Finish	Abbreviation	Panel Type	Abbreviation
Aged Silver	AGD SILV	French Grey	FRNCH GRY	Acid Etched	ACD ETCH
Antique Aluminum	ANT ALUM	Gray Sand	GRY SND	Clear	CLR
Antique Brass	AB	Hunter Green	HNT GRN	Opal	OPAL
Antique Copper	ANT COP	Italian Rust	ITAL RUST	Optic	OPTIC
Antique Jade	ANT JADE	Old Bronze	OLD BRZ	Optic Acid Etched	OPTIC ACD ETCH
Antique White	ANT WHT	Old Copper	OLD COP	Pearl	PEARL
Architectural Bronze	ARCH BRZ	Old English	OLD ENG	Pebble	PEB
Architectural Green	ARCH GRN	Old Iron	OI	Prismatic	PRSMTC
Black	BLK	Old World	OW	Ripple	RIPP
Bronze	BRZ	Patina Bronze	PAT BRZ	Ripple Acid Etched	RIPP ACD ETCH
Charcoal	CHARC	Pewter	PEWT	Seedy	SDY
Copper	COP	Rusty Nail	RN	Seedy Acid Etched	SDY ACD ETCH
Copper Patina	COP PAT	Satin Brass	SB		
Desert Sand	DST SND	Swedish	SWD	1 Light Socket	1LT
Desert Wind	DST WND	Tre Bronze	TRE BRZ	2 Light Socket	2LT
Flat Black	FLT BLK	Tre Copper	TRE COP	3 Light Socket	3LT
Flat White	FLT WHT	Umber	UMB	4 Light Socket	4LT
Florentine Bronze	FLR BRZ	Verdi Green	VG		
Florentine Copper	FLR COP	White	WHT		





MADE IN THE U.S.A.

Melissa Lighting 4859 Olson Drive · Dallas, TX · 75227-2104
Tel.: (214) 388-7487 · Facsimile: (214) 388-7598 · Toll Free: (800) 345-5399
www.melissalighting.com